

APPENDIX

TABLE A: Finalized Individual Quality Measures Available for MIPS Reporting in 2017
(Existing Measures Finalized in CMS-1631-FC).

The 2016 PQRS Measures Specifications Supporting Documents can be found at the following link: <https://www.cms.gov/medicare/quality-initiatives-patient-assessment-instruments/pqrs/measurescodes.html>.

Note: Existing measures with finalized substantive changes are noted with an asterisk (*), new finalized measures are noted with a plus symbol (+), core measures as agreed upon by Core Quality Measure Collaborative (CQMC) are noted with the symbol (\$), high priority measures are noted with an exclamation point (!), and high priority measures that are appropriate use measures are noted with a double exclamation point (!!), in the column.

[Please note that the proposals contained in Tables D and G of the Appendix of the proposed rule have been incorporated into and are addressed in Table A below.]

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
* \$!	0059/001	122 V5	Effective Clinical Care	Claims, Web Interface, Registry, EHR	Intermediate Outcome	<p>Diabetes: Hemoglobin A1c (HbA1c) Poor Control (>9%): Percentage of patients 18-75 years of age with diabetes who had hemoglobin A1c > 9.0% during the measurement period.</p> <p>Comments: One commenter did not support the inclusion of this measure because they did not believe it would result in better patient care. Commenters also asked that CMS modify the measure.</p> <p>Response: CMS believes this to be a significant measure because it monitors hemoglobin levels and identifies poor control. CMS believes that monitoring of hemoglobin levels will lead to better treatment and outcomes for patients. Additionally, this measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking.</p> <p>Final Decision: CMS is finalizing this measure for the CY 2017 performance period and its proposal in Table G of the Appendix of the proposed rule (81 FR 28531) to change the measure description that clarifies the definition of Hemoglobin A1c required for poor control. This change does not constitute a change in measure intent or logic coding. Hemoglobin A1c > 9.0% is consistent with clinical guidelines and practice. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism.</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	OMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
§	0081/005	135 v5	Effective Clinical Care	Registry, EHR	Process	<p>Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction (LVSD): Percentage of patients aged 18 years and older with a diagnosis of heart failure (HF) with a current or prior left ventricular ejection fraction (LVEF) < 40% who were prescribed ACEinhibitor or ARB therapy either within a 12-month period when seen in the outpatient setting OR at each hospital discharge.</p> <p>Comment: OMS did not receive specific comments regarding this measure other than its relationship with a specialty measure set.</p> <p>Response: OMS will address all specialty measure set comments in Table E.</p> <p>Final Decision: OMS is finalizing Q #005 for 2017 Performance Period.</p>	Physician Consortium for Performance Improvement (PCPI®) Foundation
* §	0067/006	N/A	Effective Clinical Care	Registry	Process	<p>Chronic Stable Coronary Artery Disease (CAD): Antiplatelet Therapy: Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease (CAD) seen within a 12-month period who were prescribed aspirin or clopidogrel.</p> <p>Comments: Commenters recommended additional substantive changes to the measure. Another commenter asked for revisions related to the specialty measure set.</p> <p>Response: This measure is not owned by OMS and, therefore, cannot be modified without coordinating with the measure owner. OMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. Although OMS thanks the commenter for their recommendations, OMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking. Additionally, OMS will address all specialty measure set comments in Table E.</p> <p>Final Decision: OMS is finalizing this measure for the CY 2017 performance period and its proposal in Table G of the Appendix of the proposed rule (81 FR 28531) to change the measure title to align with the NQF endorsed version of this measure and to clarify the intent of the measure. This change does not constitute a change in the measure intent. The measure description remains the same where patients diagnosed with CAD are prescribed an antiplatelet within 12 months. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission method.</p>	American Heart Association

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
§	0070/007	145v5	Effective Clinical Care	Registry, EHR	Process	<p>Coronary Artery Disease (CAD): Beta-Blocker Therapy – Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%): Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12-month period who also have prior MI OR a current or prior LVEF < 40% who were prescribed beta-blocker therapy.</p> <p>Comments: CMS received a comment that this measure cannot be reported for 3 years. The commenter did not provide justification behind the comment.</p> <p>Response: CMS does not agree with the comment. This measure has been implemented in PQFS since 2007, so CMS believes this measure has been well tested for implementation.</p> <p>Final Decision: CMS is finalizing Q #007 for 2017 Performance Period.</p>	Physician Consortium for Performance Improvement Foundation (PCPI®)
* §	0083/008	144v5	Effective Clinical Care	Registry, EHR	Process	<p>Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD): Percentage of patients aged 18 years and older with a diagnosis of heart failure (HF) with a current or prior left ventricular ejection fraction (LVEF) < 40% who were prescribed beta-blocker therapy either within a 12-month period when seen in the outpatient setting OR at each hospital discharge.</p> <p>Comments: One commenter requested that CMS make substantive changes to this measure. Several commenters made various requests to include this measure in specialty measure sets.</p> <p>Response: This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking. Additionally, CMS will address all specialty measure set comments in Table E.</p>	Physician Consortium for Performance Improvement Foundation (PCPI®)

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						Final Decision: CMS is finalizing this measure for the CY 2017 performance period and its proposal in Table G of the Appendix of the proposed rule (81 FR 28532) to change the reporting mechanism for this measure by removing it from the Web Interface. The Web Interface measure set contains measures for primary care and also includes relevant measures from the FQHC Core Measure Set established by the Core Quality Measure Collaborative (CQMC). This measure is not a measure in the core set and is being finalized for removal from the Web Interface to align the Web Interface measure set with the FQHC Core Measure Set. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism.	
	0105/009	128 v5	Effective Clinical Care	EHR	Process	<p>Anti-Depressant Medication Management: Percentage of patients 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression, and who remained on antidepressant medication treatment. Two rates are reported</p> <p>a. Percentage of patients who remained on an antidepressant medication for at least 84 days (12 weeks).</p> <p>b. Percentage of patients who remained on an antidepressant medication for at least 180 days (6 months).</p> <p>Comment: Commenter supports CMS's decision to include this measure in the MIPS Quality measure set.</p> <p>Response: CMS thanks the commenter for their support.</p> <p>Final Decision: CMS is finalizing Q#009 for 2017 Performance Period.</p>	National Committee for Quality Assurance
	0086/012	143 v5	Effective Clinical Care	Claims, Registry, EHR	Process	<p>Primary Open-Angle Glaucoma (POAG): Optic Nerve Evaluation: Percentage of patients aged 18 years and older with a diagnosis of primary open-angle glaucoma (POAG) who have an optic nerve head evaluation during one or more office visits within 12 months.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #012 for 2017 Performance Period.</p>	Physician Consortium for Performance Improvement (PCPI) Foundation
	0087/014	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Age-Related Macular Degeneration (AMD): Dilated Macular Examination: Percentage of patients aged 50 years and older with a diagnosis of age-related macular degeneration (AMD) who had a dilated macular examination performed</p>	American Academy of Ophthalmology

Indicator	NQF Quality #	CMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						<p>which included documentation of the presence or absence of macular thickening or hemorrhage AND the level of macular degeneration severity during one or more office visits within 12 months.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q#014 for 2017 Performance Period.</p>	
	0088/018	167 v5	Effective Clinical Care	EHR	Process	<p>Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy: Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed which included documentation of the level of severity of retinopathy and the presence or absence of macular edema during one or more office visits within 12 months.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #018 for 2017 Performance Period.</p>	Physician Consortium for Performance Improvement (PCPI®) Foundation
I	0089/019	142 v5	Communication and Care Coordination	Claims, Registry, EHR	Process	<p>Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care: Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed with documented communication to the physician who manages the ongoing care of the patient with diabetes mellitus regarding the findings of the macular or fundus exam at least once within 12 months.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #019 for 2017 Performance Period.</p>	Physician Consortium for Performance Improvement (PCPI®) Foundation
II	0268/021	N/A	Patient Safety	Claims, Registry	Process	<p>Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin: Percentage of surgical patients aged 18 years and older undergoing procedures with the indications for a first OR second generation cephalosporin prophylactic antibiotic who had an order for a first OR second generation cephalosporin for antimicrobial prophylaxis.</p> <p>Comment: Commenters support CMS's decision to include this measure in the MIPS Quality measure set.</p> <p>Response: CMS thanks the commenter for their support.</p>	American Society of Plastic Surgeons

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						Final Decision: CMS is finalizing Q #021 for 2017 Performance Period.	
!	0239/023	N/A	Patient Safety	Claims, Registry	Process	<p>Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (When Indicated in ALL Patients): Percentage of surgical patients aged 18 years and older undergoing procedures for which venous thromboembolism (VTE) prophylaxis is indicated in all patients, who had an order for Low Molecular Weight Heparin (LMWH), Low-Dose Unfractionated Heparin (LDUH), adjusted-dose warfarin, fondaparinux or mechanical prophylaxis to be given within 24 hours prior to incision time or within 24 hours after surgery end time.</p> <p>Comment: Commenters support CMS's decision to include this measure in the MIPS Quality measure set.</p> <p>Response: CMS thanks the commenter for their support.</p> <p>Final Decision: CMS is finalizing Q #023 for 2017 Performance Period.</p>	American Society of Plastic Surgeons
!	0045/024	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Communication with the Physician or Other Clinician Managing On-going Care Post-Fracture for Men and Women Aged 50 Years and Older: Percentage of patients aged 50 years and older treated for a fracture with documentation of communication, between the physician treating the fracture and the physician or other clinician managing the patient's on-going care, that a fracture occurred and that the patient was or should be considered for osteoporosis treatment or testing. This measure is reported by the physician who treats the fracture and who therefore is held accountable for the communication.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #024 for 2017 Performance Period.</p>	National Committee for Quality Assurance
	0325/032	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Stroke and Stroke Rehabilitation: Discharged on Antithrombotic Therapy: Percentage of patients aged 18 years and older with a diagnosis of ischemic stroke or transient ischemic attack (TIA) who were prescribed an antithrombotic therapy at discharge.</p> <p>Comment: Commenters made various requests to include this measure in specialty measure sets.</p> <p>Response: CMS will address all specialty measure set comments in Table E.</p>	American Academy of Neurology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						Final Decision: CMS is finalizing Q #032 for 2017 Performance Period. This measure remains a process measure.	
	0046/039	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Screening for Osteoporosis for Women Aged 65-85 Years of Age: Percentage of female patients aged 65-85 years of age who ever had a central dual-energy X-ray absorptiometry (DXA) to check for osteoporosis.</p> <p>Comment: One commenter supports CMS's decision to include this measure in the MIPS Quality measure set.</p> <p>Response: CMS thanks the commenter for their support.</p> <p>Final Decision: CMS is finalizing Q #039 for 2017 Performance Period.</p>	National Committee for Quality Assurance / American Medical Association-Physician Consortium for Performance Improvement
	0134/043	N/A	Effective Clinical Care	Registry	Process	<p>Coronary Artery Bypass Graft (CABG): Use of Internal Mammary Artery (IMA) in Patients with Isolated CABG Surgery: Percentage of patients aged 18 years and older undergoing isolated CABG surgery who received an IMA graft.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #043 for 2017 Performance Period.</p>	Society of Thoracic Surgeons
	0236/044	N/A	Effective Clinical Care	Registry	Process	<p>Coronary Artery Bypass Graft (CABG): Preoperative Beta-Blocker in Patients with Isolated CABG Surgery: Percentage of isolated Coronary Artery Bypass Graft (CABG) surgeries for patients aged 18 years and older who received a beta-blocker within 24 hours prior to surgical incision.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #044 for 2017 Performance Period.</p>	Centers for Medicare & Medicaid Services
* S !	0097/046	N/A	Communication and Care Coordination	Claims, Web Interface, Registry	Process	<p>Medication Reconciliation Post-Discharge: The percentage of discharges from any inpatient facility (e.g. hospital, skilled nursing facility, or rehabilitation facility) for patients 18 years and older of age seen within 30 days following discharge in the office by the physician, prescribing practitioner, registered nurse, or clinical pharmacist providing on-going care for whom the discharge medication list was reconciled with the current medication list in the outpatient medical record.</p> <p>This measure is reported as three rates stratified by age group:</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<ul style="list-style-type: none"> • Reporting Criteria 1 18-64 years of age • Reporting Criteria 2 65 years and older • Total Rate All patients 18 years of age and older. <p>Comments: One commenter supports CMS's decision to include this measure in the MIPS Quality measure set. Another commenter requested that CMS include this measure in a specialty measure set.</p> <p>Response: CMS thanks the commenter for their support. Additionally, CMS will address all specialty measure set comments in Table E of the appendix of the final rule with comments.</p> <p>Final Decision: CMS is finalizing Q #046 for 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28532) to change the data submission method for this measure by adding it to the Web Interface. The Web Interface measure set contains measures for primary care and also includes relevant measures from the PQMH Core Measure Set established by the QCMC. This measure is a core measure and is being finalized for the Web Interface to align the Web Interface measure set with the PQMH Core Measure Set. Furthermore, this measure is replacing PQRS #130: Documentation of Current Medications in the Medical Record in the Web Interface.</p>	
!	0326/047	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Care Plan: Percentage of patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but the patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan.</p> <p>Comments: Some commenters were concerned that documenting care plan on annual basis is burdensome, while others believed that an annual update of current care was not overly burdensome and would be considered appropriate care for patient preference.</p> <p>Response: CMS believes that an annual update of a current care plan is not burdensome and would be considered appropriate care for patient preference. If a patient has an existing care plan, an annual update in subsequent years is not considered burdensome.</p> <p>Final Decision: CMS is finalizing Q #047 for 2017 Performance Period. This measure remains a process measure.</p>	National Committee for Quality Assurance

Indicator	NOF Quality #	OMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
	N/A/048	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older: Percentage of female patients aged 65 years and older who were assessed for the presence or absence of urinary incontinence within 12 months.</p> <p>Comments: One commenter supports CMS's decision to include this measure in the MIPS Quality measure set. Another commenter requested that CMS include this measure in a specialty measure set.</p> <p>Response: CMS thanks the commenter for their support. Additionally, CMS will address all specialty measure set comments in Table E.</p> <p>Final Decision: CMS is finalizing Q #048 for 2017 Performance Period.</p>	National Committee for Quality Assurance
!	N/A/050	N/A	Person and Caregiver-Centered Experience and Outcomes	Claims, Registry	Process	<p>Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older: Percentage of female patients aged 65 years and older with a diagnosis of urinary incontinence with a documented plan of care for urinary incontinence at least once within 12 months.</p> <p>Comment: One commenter did not support CMS's decision to include this measure in MIPS. The commenter also stated, without going into detail, that the measure discourages development of patient-specific care plans. Another commenter recommends CMS modify the measure. Finally, a third commenter requested that CMS include this measure in a specialty measure set.</p> <p>Response: While CMS appreciates commenter's opinion regarding the clinical appropriateness of the measure as it relates to personalized care plans, CMS does not agree with commenter's opinion. CMS believes that eligible clinicians are not prohibited in acting in the best interest of the patient and further developing a care plan. Furthermore, regarding the request for measure modifications, this measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking. Finally, CMS will address all specialty measure set comments in Table E.</p> <p>Final Decision: CMS is finalizing Q #050 for 2017 Performance Period.</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	QMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
	0091/051	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Chronic Obstructive Pulmonary Disease (COPD): Spirometry Evaluation: Percentage of patients aged 18 years and older with a diagnosis of COPD who had spirometry results documented.</p> <p>QMS did not receive specific comments regarding this measure.</p> <p>Final Decision: QMS is finalizing Q #051 for 2017 Performance Period.</p>	American Thoracic Society
	0102/052	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Chronic Obstructive Pulmonary Disease (COPD): Long-Acting Inhaled Bronchodilator Therapy: Percentage of patients aged 18 years and older with a diagnosis of COPD (FEV1/FVC < 70%) and who have an FEV1 less than 60% predicted and have symptoms who were prescribed a long-acting inhaled bronchodilator.</p> <p>Comment: One commenter requested that QMS include this measure in a specialty measure set.</p> <p>Response: QMS will address all specialty measure set comments in Table E.</p> <p>Final Decision: QMS is finalizing Q #052 for 2017 Performance Period.</p>	American Thoracic Society
!!	0069/065	154 v5	Efficiency and Cost Reduction	Registry, EHR	Process	<p>Appropriate Treatment for Children with Upper Respiratory Infection (URI): Percentage of children 3 months through 18 years of age who were diagnosed with upper respiratory infection (URI) and were not dispensed an antibiotic prescription on or three days after the episode.</p> <p>Comments: We received a comment from a commenter who did not agree with the classification of this measure in the efficiency and cost reduction domain. Instead, the commenter indicated that the measure should be classified as resource use.</p> <p>Response: Resource use is not an NQSD domain and does not adequately reflect all aspects of the measure. We believe this measure should remain classified in the efficiency and cost reduction domain.</p> <p>Final Decision: QMS is finalizing Q #065 for 2017 Performance Period. This measure remains within the Efficiency and Cost Reduction domain.</p>	National Committee for Quality Assurance
* !!	N/A/066	146 v5	Efficiency and Cost Reduction	Registry, EHR	Process	<p>Appropriate Testing for Children with Pharyngitis: Percentage of children 3-18 years of age who were diagnosed with pharyngitis, ordered an antibiotic and received a group A</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						<p>streptococcus (strep) test for the episode.</p> <p>Comments: We received a comment from a commenter who did not agree with the classification of this measure in the efficiency and cost reduction domain. Instead, the commenter indicated that the measure should be classified as resource use.</p> <p>Response: Resource use is not an NQSDomain and does not adequately reflect all aspects of the measure. We believe this measure should remain classified in the efficiency and cost reduction domain.</p> <p>Final Decision: CMS is finalizing Q #066 for 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28533) to change the measure description due to guideline changes in 2013 where the age range changed to 3-18. Furthermore, this measure is no longer endorsed by the National Quality Forum (NQF); therefore, CMS is finalizing the removal of the NQF number as a reference for this measure.</p>	
	0377/067	N/A	Effective Clinical Care	Registry	Process	<p>Hematology: Myelodysplastic Syndrome (MDS) and Acute Leukemia: Baseline Cytogenetic Testing Performed on Bone Marrow: Percentage of patients aged 18 years and older with a diagnosis of myelodysplastic syndrome (MDS) or an acute leukemia who had baseline cytogenetic testing performed on bone marrow.</p> <p>Comment: A commenter requested that CMS modify the measure.</p> <p>Response: This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #067 for 2017 Performance Period.</p>	American Society of Hematology
	0378/068	N/A	Effective Clinical Care	Registry	Process	<p>Hematology: Myelodysplastic Syndrome (MDS) and Acute Leukemias: Baseline Cytogenetic Testing Performed on Bone Marrow: Percentage of patients aged 18 years and older with a diagnosis of myelodysplastic syndrome (MDS) who are receiving erythropoietin therapy with documentation of iron stores within 60 days prior to initiating erythropoietin therapy.</p> <p>Comment: A commenter requested that CMS</p>	American Society of Hematology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						<p>modify the measure. Additionally, one commenter requested that CMS include this measure in a specialty measure set.</p> <p>Response: This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking. Furthermore, CMS will address all specialty measure set comments in the Table E.</p> <p>Final Decision: CMS is finalizing Q #068 for 2017 Performance Period.</p>	
	0380/069	N/A	Effective Clinical Care	Registry	Process	<p>Hematology: Multiple Myeloma: Treatment with Bisphosphonates: Percentage of patients aged 18 years and older with a diagnosis of multiple myeloma, not in remission, who were prescribed or received intravenous bisphosphonate therapy within the 12-month reporting period.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #069 for 2017 Performance Period.</p>	American Society of Hematology
	0379/070	N/A	Effective Clinical Care	Registry	Process	<p>Hematology: Chronic Lymphocytic Leukemia (CLL): Baseline Flow Cytometry: Percentage of patients aged 18 years and older seen within a 12-month reporting period with a diagnosis of chronic lymphocytic leukemia (CLL) made at any time during or prior to the reporting period who had baseline flow cytometry studies performed and documented in the chart.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #070 for 2017 Performance Period.</p>	American Society of Hematology
!	N/A/076	N/A	Patient Safety	Claims, Registry	Process	<p>Prevention of Central Venous Catheter (CVC)-Related Bloodstream Infections: Percentage of patients, regardless of age, who undergo central venous catheter (CVC) insertion for whom CVC was inserted with all elements of maximal sterile barrier technique, hand hygiene, skin preparation and, if ultrasound is used, sterile ultrasound techniques followed.</p> <p>Comment: CMS received a comment in support of the measure proposed as a registry data submission method. A commenter also requested a modification to the measure. One commenter</p>	American Society of Anesthesiologists

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>requested that CMS include this measure in a specialty measure set.</p> <p>Response: This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking. Furthermore, CMS will address all specialty measure set comments in the Table E.</p> <p>Final Decision: CMS is finalizing Q #076 for 2017 Performance Period.</p>	
!!	0653/091	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Acute Otitis Externa (AOE): Topical Therapy: Percentage of patients aged 2 years and older with a diagnosis of AOE who were prescribed topical preparations.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #091 for 2017 Performance Period.</p>	American Academy of Otolaryngology-Head and Neck Surgery
!!	0654/093	N/A	Efficiency and Cost Reduction	Claims, Registry	Process	<p>Acute Otitis Externa (AOE): Systemic Antimicrobial Therapy – Avoidance of Inappropriate Use: Percentage of patients aged 2 years and older with a diagnosis of AOE who were not prescribed systemic antimicrobial therapy.</p> <p>Comments: One commenter did not agree with the classification of this measure in the efficiency and cost reduction domain, but believed that it should be classified as resource use instead.</p> <p>Response: Resource use is not an NQSD domain. We believe this measure should remain classified in the efficiency and cost reduction domain.</p> <p>Final Decision: CMS is finalizing Q #093 for 2017 Performance Period.</p>	American Academy of Otolaryngology-Head and Neck Surgery
	0391/099	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Breast Cancer Resection Pathology Reporting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade: Percentage of breast cancer resection pathology reports that include the pT category (primary tumor), the pN category (regional lymph nodes), and the histologic grade.</p> <p>Comment: One commenter supported the inclusion of this measure in the MIPS Quality measure set but did not agree with the classification of this measure as a process measure. The commenter believed that it should</p>	College of American Pathologists

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>be classified as an outcome measure instead.</p> <p>Response: CMS does not agree with commenter but instead believes this measure should continue to be a process measure. The pathologist is reading and interpreting the presence of tumor as well as the type/grade of the tumor. They go through a process (reading the slide) to make the diagnosis and assign a pT, pN and grade. Reading/interpreting the slide is not an outcome as the pathologist cannot alter what is or is not contained in the specimen.</p> <p>Final Decision: CMS is finalizing Q #099 for 2017 Performance Period. This measure remains a process measure.</p>	
	0392/100	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Colorectal Cancer Resection Pathology Reporting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade: Percentage of colon and rectum cancer resection pathology reports that include the pT category (primary tumor), the pN category (regional lymph nodes) and the histologic grade.</p> <p>Comment: One commenter supported the inclusion of this measure in the MIPS Quality measure set but did not agree with the classification of this measure as a process measure. The commenter believed that it should be classified as an outcome measure instead.</p> <p>Response: CMS does not agree with commenter but instead believes this measure should continue to be a process measure. The pathologist is reading and interpreting the presence of tumor as well as the type/grade of the tumor. They go through a process (reading the slide) to make the diagnosis and assign a pT, pN and grade. Reading/interpreting the slide is not an outcome as the pathologist cannot alter what is or is not contained in the specimen.</p> <p>Final Decision: CMS is finalizing Q #100 for 2017 Performance Period. This measure remains a process measure.</p>	College of American Pathologists
* § !!	0389/102	129 v6	Efficiency and Cost Reduction	Registry, B-IR	Process	<p>Prostate Cancer: Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients: Percentage of patients, regardless of age, with a diagnosis of prostate cancer at low (or very low) risk of recurrence receiving interstitial prostate brachytherapy, OR external beam radiotherapy to the prostate, OR radical prostatectomy, OR cryotherapy who did not have a bone scan performed at any time since diagnosis of prostate cancer.</p> <p>Comments: CMS received a comment that supported this change in the measure description.</p>	Physician Consortium for Performance Improvement Foundation (PCPIF)

Indicator	NOF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>CMS also received a request to include this measure in a specialty measure set.</p> <p>Response: We thank the commenters for their support. Additionally, CMS will address all specialty measure set comments in Table E</p> <p>Final Decision: CMS is finalizing Q #102 for 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28534) to change the measure description due to a change in clinical guidelines that includes very low and low risk of prostate cancer recurrence. CMS believes that this change does not change the intent of the measure but merely ensures the measure remains up-to-date according to clinical guidelines and practice.</p>	
	0390/ 104	N/A	Effective Clinical Care	Registry	Process	<p>Prostate Cancer: Adjuvant Hormonal Therapy for High Risk or Very High Risk Prostate Cancer: Percentage of patients, regardless of age, with a diagnosis of prostate cancer at high or very high risk of recurrence receiving external beam radiotherapy to the prostate who were prescribed adjuvant hormonal therapy (GnRH [gonadotropin-releasing hormone] agonist or antagonist)</p> <p>Comment: CMS received a comment requesting a modification to the measure. Another commenter stated that the measure did not reflect appropriate standard of care.</p> <p>Response: While we thank the commenter for their comment, CMS disagrees with the commenter and believes this measure appropriately reflects healthcare standards. Additionally, this measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #104 for 2017 Performance Period.</p>	American Urological Association Education and Research
	0104/ 107	161 v5	Effective Clinical Care	EHR	Process	<p>Adult Major Depressive Disorder (MDD): Suicide Risk Assessment: Percentage of patients aged 18 years and older with a diagnosis of major depressive disorder (MDD) with a suicide risk assessment completed during the visit in which a new diagnosis or recurrent episode was identified.</p> <p>CMS did not receive specific comments regarding this measure.</p>	Physician Consortium for Performance Improvement Foundation (PCPI®)

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						Final Decision: CMS is finalizing Q #107 for 2017 Performance Period.	
I	N/A/109	N/A	Person and Caregiver-Centered Experience and Outcomes	Claims, Registry	Process	<p>Osteoarthritis (OA): Function and Pain Assessment: Percentage of patient visits for patients aged 21 years and older with a diagnosis of osteoarthritis (OA) with assessment for function and pain.</p> <p>Comment: CMS received a comment that did not support the inclusion of this measure in the MIPS quality measure set. The commenter cited that it was clinically inappropriate for physicians to assess pain and function in all patients 21 years of age and older.</p> <p>Response: CMS thanks the commenter for their comment. However, we disagree with the commenter's belief. We believe that pain assessment is important for every patient with a diagnosis of Osteoarthritis.</p> <p>Final Decision: CMS is finalizing Q #109 for 2017 Performance Period.</p>	American Academy of Orthopedic Surgeons
	0041/110	147 v6	Community/Population Health	Claims, Web Interface, Registry, EHR	Process	<p>Preventive Care and Screening: Influenza Immunization: Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization.</p> <p>Comment: A Commenter supported the inclusion of this measure in the MIPS quality measure set. CMS received several comments requesting this measure be included in various specialty measure sets. One commenter also requested that this measure be added to the cross-cutting measures list.</p> <p>Response: CMS thanks the commenters for their support of including this measure in the MIPS quality measure set. We will address all specialty set comments in Table E. Finally, CMS will not finalize the cross-cutting measure requirement but appreciates the commenter's request to include the measure in the list. CMS may consider this request for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #110 for 2017 Performance Period. There will not be a cross-cutting measure requirement, therefore, this measure will not be included on the list of cross-cutting measures for the 2017 performance period.</p>	Physician Consortium for Performance Improvement Foundation (PCPI®)

Indicator	NQF Quality #	OASIS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Steward
	0043/111	127 v5	Community/Population Health	Claims, Web Interface, Registry, EHR	Process	<p>Pneumonia Vaccination Status for Older Adults: Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine.</p> <p>Comment: A commenter supported the inclusion of this measure in the MIPS quality measure set. CMS also received a comment requesting this measure be included in a specialty measure set. A commenter also requested that this measure be added to the cross-cutting measures list.</p> <p>Response: CMS thanks the commenter for their support of including this measure in the MIPS quality measure set. We will address all specialty set comments in Table E. Additionally, CMS will not finalize the cross-cutting measure requirement but appreciates the commenters request to include the measure in the list. CMS may consider this request for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #111 for 2017 Performance Period. There will not be a cross-cutting measure requirement, therefore, this measure will not be included on the list of cross-cutting measures for the 2017 performance period.</p>	National Committee for Quality Assurance
* §	2372/112	125 v5	Effective Clinical Care	Claims, Web Interface, Registry, EHR	Process	<p>Breast Cancer Screening: Percentage of women 50-74 years of age who had a mammogram to screen for breast cancer.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #112 for 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28534) to change the measure description due to clinical guideline changes that occurred in 2013 which changed the age requirement for mammograms from 40-69 years to 50-74 years. CMS believes that this change does not change the intent of the measure but merely ensures the measure remains up-to-date according to clinical guidelines and practice. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism. Furthermore, this measure has been recently endorsed by NQF with the updated age range. Therefore, CMS is finalizing the addition of the NQF #2372 to the measure.</p>	National Committee for Quality Assurance
§	0034/113	130 v5	Effective Clinical Care	Claims, Web Interface, Registry, EHR	Process	<p>Colorectal Cancer Screening: Percentage of patients 50 - 75 years of age who had appropriate screening for colorectal cancer.</p> <p>Comment: A commenter requested this measure</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						<p>be removed from a specialty measure set. Additionally, a commenter requested a modification to the measure.</p> <p>Response: We will address all specialty set comments in Table E. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #113 for 2017 Performance Period.</p>	
§ !!	0058/116	N/A	Efficiency and Cost Reduction	Registry	Process	<p>Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis: Percentage of adults 18-64 years of age with a diagnosis of acute bronchitis who were not dispensed an antibiotic prescription</p> <p>Comments: Commenters supported inclusion of this measure. One commenter also supported the "appropriate use" designation for this measure.</p> <p>Response: We thank the commenters for their support.</p> <p>Final Decision: CMS is finalizing Q #116 for 2017 Performance Period. This measure remains an appropriate use measure.</p>	National Committee for Quality Assurance
§	0055/117	131 v5	Effective Clinical Care	Claims, Web Interface, Registry, EHR	Process	<p>Diabetes: Eye Exam: Percentage of patients 18 - 75 years of age with diabetes who had a retinal or dilated eye exam by an eye care professional during the measurement period or a negative retinal exam (no evidence of retinopathy) in the 12 months prior to the measurement period.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #117 for 2017 Performance Period.</p>	National Committee for Quality Assurance
* §	0066/118	N/A	Effective Clinical Care	Registry	Process	<p>Coronary Artery Disease (CAD): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy -- Diabetes or Left Ventricular Systolic Dysfunction (LVEF < 40%): Percentage of patients aged 18 years and older with a diagnosis of coronary artery disease seen within a 12-month period who also have diabetes OR a current or prior Left Ventricular Ejection Fraction (LVEF) < 40% who were prescribed ACE inhibitor or ARB therapy.</p> <p>Comments: CMS received a comment stating the</p>	American Heart Association

Indicator	NQF Quality #	CMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Steward
						<p>measure steward will no longer steward the measure. CMS also received a comment requesting modifications to the measure in addition to the proposed substantive changes in Table G.</p> <p>Response: CMS would like to note that this measure has a steward as indicated in Table A of the Appendix of the rule. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #118 for 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28535) to change the data submission method for this measure by removing the Web Interface as a submission method. The Web Interface measure set contains measures for primary care and also includes relevant measures from the core measure set. This measure is not a measure in the CQMC set and is being finalized for removal from the Web Interface to align the Web Interface measure set with the CQMC measure set for ACOs/PCMHs.</p>	
* §	0062/119	134 v5	Effective Clinical Care	Registry, EHR	Process	<p>Diabetes: Medical Attention for Nephropathy: The percentage of patients 18-75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period</p> <p>Comments: CMS received a comment to include this measure in a specialty measure set.</p> <p>Response: CMS will address all comments on specialty measure sets in Table E.</p> <p>Final Decision: CMS is finalizing Q #119 for 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28535) to revise the title of this measure to align with the measure's intent to increase reporting clarity and to match the NQF endorsed measure's title. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism.</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
I	N/A/122	N/A	Effective Clinical Care	Registry	Intermediate Outcome	<p>Adult Kidney Disease: Blood Pressure Management: Percentage of patient visits for those patients aged 18 years and older with a diagnosis of chronic kidney disease (CKD) (stage 3, 4, or 5, not receiving Renal Replacement Therapy [RRT]) with a blood pressure $\geq 140/90$ mmHg OR $\geq 140/90$ mmHg with a documented plan of care</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSisfinalizing Q #122 for 2017 Performance Period.</p>	Renal Physicians Association
	0417/126	N/A	Effective Clinical Care	Registry	Process	<p>Diabetes Mellitus: Diabetic Foot and Ankle Care, Peripheral Neuropathy –Neurological Evaluation: Percentage of patients aged 18 years and older with a diagnosis of diabetes mellitus who had a neurological examination of their lower extremities within 12 months.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSisfinalizing Q #126 for 2017 Performance Period. This measure remains a process measure.</p>	American Podiatric Medical Association
	0416/127	N/A	Effective Clinical Care	Registry	Process	<p>Diabetes Mellitus: Diabetic Foot and Ankle Care, Ulcer Prevention – Evaluation of Footwear: Percentage of patients aged 18 years and older with a diagnosis of diabetes mellitus who were evaluated for proper footwear and sizing.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSisfinalizing Q #127 for 2017 Performance Period. This measure remains a process measure.</p>	American Podiatric Medical Association
* S	0421/128	69 v5	Community/Population Health	Claims, Web Interface, Registry, EHR	Process	<p>Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan: Percentage of patients aged 18 years and older with a BMI documented during the current encounter or during the previous six months AND with a BMI outside of normal parameters, a follow-up plan is documented during the encounter or during the previous six months of the current encounter</p> <p>Normal Parameters: Age 18 – 64 Years BMI ≥ 18.5 and < 25 kg/m².</p> <p>Comments: We received a comment stating that according to the Binge Eating Disorder Association, this measure is not supported by current clinical evidence with respect to improved health outcomes for all patients. The commenter stated the measure could harm patients with Binge eating disorders.</p>	Centers for Medicare & Medicaid Services

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Steward
						<p>Response: CMS recognizes that this measure may not be ideal for providers whose patients are suffering from this specific condition. However, CMS ascertains that this measure is meant for providers whose patients may have weight or BMI issues associated with being outside of normal weight parameters. CMS relies on the provider to provide the appropriate follow-up for patients, recognizing the various associated issues a patient may or may not face. Because, there are a number of chronic illnesses that are linked to being outside of normal weight parameters and research shows that proper screening and follow-up is an appropriate way to address weight related issues, CMS believes this is a valid measure and should remain in the program.</p> <p>Final Decision: CMS is finalizing Q #128 for 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28536) to remove the upper parameter from the measure description to align with the recommendations of technical expert panel and clinical expertise. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism.</p>	
* !	0419/130	68v6	Patient Safety	Claims, Registry, EHR	Process	<p>Documentation of Current Medications in the Medical Record: Percentage of visits for patients aged 18 years and older for which the eligible clinician attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list must include ALL known prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route of administration.</p> <p>Comments: CMS received a comment supporting the inclusion of this measure in the MIPS Quality measure set for the 2017 performance period.</p> <p>Response: CMS thanks the commenter for their support.</p> <p>Final Decision: CMS is finalizing Q #130 for 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28536) to revise the data submission method of this measure to remove it from use in the Web Interface. This measure is being replaced in the Web Interface with the core measure, PQRS #46: Medication Reconciliation Post-Discharge. Since these measures cover similar topic areas, CMS proposes to remove this</p>	Centers for Medicare & Medicaid Services

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						measure from the Web Interface. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism.	
!	0420/131	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Pain Assessment and Follow-Up: Percentage of visits for patients aged 18 years and older with documentation of a pain assessment using a standardized tool(s) on each visit AND documentation of a follow-up plan when pain is present.</p> <p>Comment: One commenter did not support CMS's decision to include this measure in the MIPS quality measure set stating that it was not practical in every area of the country. Another commenter requested that CMS add this measure to the cross-cutting measures list.</p> <p>Response: CMS has identified this measure as high priority because it addresses key issues that are valuable for quality healthcare. While we recognize there may be limited access to pain management specialists in certain areas, we fully support the inclusion of this measure in the program as it addresses the overarching need of appropriate referral for pain management. Additionally, CMS will not finalize the cross-cutting measure requirement but appreciates the commenters request to include the measure in the list. CMS may consider this request for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #131 for 2017 Performance Period. There will not be a cross-cutting measure requirement, therefore, this measure will not be included on the list of cross-cutting measures for the 2017 performance period.</p>	Centers for Medicare & Medicaid Services
★	0418/134	2v6	Community/Population Health	Claims, Web Interface, Registry, EHR	Process	<p>Preventive Care and Screening: Screening for Depression and Follow-Up Plan: Percentage of patients aged 12 years and older screened for depression on the date of the encounter using an age appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the positive screen.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set. One commenter applauds CMS for taking action on depression screening. Another commenter recommends CMS revise the measure to be more appropriate.</p> <p>Response: CMS thanks the commenters for their support of the measure. We would also note that suggestions for the revision of the measure have</p>	Centers for Medicare & Medicaid Services

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>been shared with our technical expert panel for further review. If our technical expert panel recommends the revision, CMS will test the revised measure and make it available for public comment according to the Measure Management System Blueprint. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking once this process is complete.</p> <p>Final Decision: CMS is finalizing Q #134 for 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28537) to revise the title and measure description to align with the recommendations of the technical expert panel and clinical expertise in the field. CMS believes the revision provides clarity to providers when reporting depression screening and follow-up. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism.</p>	
I	0650/137	N/A	Communication and Care Coordination	Registry	Structure	<p>Melanoma: Continuity of Care – Recall System: Percentage of patients, regardless of age, with a current diagnosis of melanoma or a history of melanoma whose information was entered, at least once within a 12-month period, into a recall system that includes:</p> <ul style="list-style-type: none"> • A target date for the next complete physical skin exam, AND • A process to follow up with patients who either did not make an appointment within the specified timeframe or who missed a scheduled appointment. <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #137 for the 2017 Performance Period.</p>	American Academy of Dermatology
I	N/A/138	N/A	Communication and Care Coordination	Registry	Process	<p>Melanoma: Coordination of Care: Percentage of patient visits, regardless of age, with a new occurrence of melanoma who have a treatment plan documented in the chart that was communicated to the physician(s) providing continuing care within one month of diagnosis.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #138 for the 2017 Performance Period.</p>	American Academy of Dermatology
	0566/140	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Age-Related Macular Degeneration (AMD): Counseling on Antioxidant Supplement: Percentage of patients aged 50 years and older with a diagnosis of age-related macular</p>	American Academy of Ophthalmology

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Steward
						<p>degeneration (AMD) or their caregiver(s) who were counseled within 12 months on the benefits and/or risks of the Age-Related Eye Disease Study (AREDS) formulation for preventing progression of AMD.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #140 for the 2017 Performance Period.</p>	
I	0563/141	N/A	Communication and Care Coordination	Claims, Registry	Outcome	<p>Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care: Percentage of patients aged 18 years and older with a diagnosis of primary open-angle glaucoma (POAG) whose glaucoma treatment has not failed (the most recent IOP was reduced by at least 15% from the pre-intervention level) OR if the most recent IOP was not reduced by at least 15% from the pre-intervention level, a plan of care was documented within 12 months.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #141 for the 2017 Performance Period.</p>	American Academy of Ophthalmology
§ I	0384/143	157 v5	Person and Caregiver-Centered Experience and Outcomes	Registry, B-IR	Process	<p>Oncology: Medical and Radiation – Pain Intensity Quantified: Percentage of patient visits, regardless of patient age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy in which pain intensity is quantified</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #143 for the 2017 Performance Period.</p>	Physician Consortium for Performance Improvement Foundation (PCPI®)
I	0383/144	N/A	Person and Caregiver-Centered Experience and Outcomes	Registry	Process	<p>Oncology: Medical and Radiation – Plan of Care for Pain: Percentage of visits for patients, regardless of age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy who report having pain with a documented plan of care to address pain.</p> <p>Comments: OMSreceived a comment requesting modifications to the measure.</p> <p>Response: This measure is not owned by OMS and, therefore, cannot be modified without coordinating with the measure owner. OMSwill share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. OMSwill finalize the measure in 2017</p>	American Society of Clinical Oncology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						without the recommended changes and may consider these changes for future rulemaking. Final Decision: CMS is finalizing Q #144 for the 2017 Performance Period.	
!!	N/A/145	N/A	Patient Safety	Claims, Registry	Process	<p>Radiology: Exposure Dose or Time Reported for Procedures Using Fluoroscopy: Final reports for procedures using fluoroscopy that document radiation exposure indices, or exposure time and number of fluorographic images (if radiation exposure indices are not available).</p> <p>Comment: One commenter identified a discrepancy regarding the proposed data submission methods for this measure in the proposed rule.</p> <p>Response: CMS has corrected this discrepancy throughout the appendix of the final rule with comments and appreciates the commenter for their thorough review.</p> <p>Final Decision: CMS is finalizing Q #145 for the 2017 Performance Period. This measure is reportable via claims and registry data submission methods.</p>	American College of Radiology
!	0508/146	N/A	Efficiency and Cost Reduction	Claims, Registry	Process	<p>Radiology: Inappropriate Use of "Probably Benign" Assessment Category in Mammography Screening: Percentage of final reports for screening mammograms that are classified as "probably Benign".</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #146 for the 2017 Performance Period.</p>	American College of Radiology
!	N/A/147	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Nuclear Medicine: Correlation with Existing Imaging Studies for All Patients Undergoing Bone Scintigraphy: Percentage of final reports for all patients, regardless of age, undergoing bone scintigraphy that include physician documentation of correlation with existing relevant imaging studies (e.g., x-ray, MRI, CT, etc.) that were performed.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #147 for the 2017 Performance Period.</p>	Society of Nuclear Medicine and Molecular Imaging
!	0101/154	N/A	Patient Safety	Claims, Registry	Process	<p>Falls: Risk Assessment: Percentage of patients aged 65 years and older with a history of falls who had a risk assessment for falls completed within 12 months.</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	QMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						<p>Comment: One commenter supported our decision to include this measure in the MIPS quality measure set stating that it was based on current evidence and that a performance gap exists. A commenter also requested that this measure be added to the cross-cutting measures list.</p> <p>Response: CMS thanks the commenter for their support and note that we agree with the commenter that this is an important issue that has a clear performance gap. We will not finalize the cross-cutting measure requirement but appreciates the commenter's request to include the measure in the list. CMS may consider this request for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #154 for the 2017 Performance Period. There will not be a cross-cutting measure requirement, therefore, this measure will not be included on the list of cross-cutting measures for the 2017 performance period.</p>	
I	0101/155	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Falls: Plan of Care: Percentage of patients aged 65 years and older with a history of falls who had a plan of care for falls documented within 12 months.</p> <p>Comment: A commenter requested that this measure be added to the cross-cutting measures list.</p> <p>Response: CMS will not finalize the cross-cutting measure requirement but appreciates the commenter's request to include the measure in the list. CMS may consider this request for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #155 for the 2017 Performance Period. There will not be a cross-cutting measures list for 2017.</p>	National Committee for Quality Assurance
II	0382/156	N/A	Patient Safety	Claims, Registry	Process	<p>Oncology: Radiation Dose Limits to Normal Tissues: Percentage of patients, regardless of age, with a diagnosis of breast, rectal, pancreatic or lung cancer receiving 3D conformal radiation therapy who had documentation in medical record that radiation dose limits to normal tissues were established prior to the initiation of a course of 3D conformal radiation for a minimum of two tissues.</p> <p>Comment: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure</p>	American Society for Radiation Oncology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						Final Decision: CMS is finalizing Q #156 for the 2017 Performance Period.	
* §	0405/160	52v5	Effective Clinical Care	EHR	Process	<p>HIV/AIDS Pneumocystis Jiroveci Pneumonia (PCP) Prophylaxis: Percentage of patients aged 6 weeks and older with a diagnosis of HIV/AIDS who were prescribed Pneumocystis Jiroveci Pneumonia (PCP) prophylaxis.</p> <p>Comment: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure.</p> <p>Final Decision: CMS is finalizing Q #160 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28538) to change the data submission method for this measure from Measures Group to EHR only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism.</p>	National Committee for Quality Assurance
* §	0056/163	123v5	Effective Clinical Care	EHR	Process	<p>Diabetes: Foot Exam: Percentage of patients 18-75 years of age with diabetes (type 1 and type 2) who received a foot exam (visual inspection and sensory exam with mono filament and a pulse exam) during the measurement year.</p> <p>Comments: CMS received a comment that the measure description as proposed was not consistent with other measure descriptions with "the" preceding the word "percentage".</p> <p>Response: CMS is correcting the description by removing the word "the" from the beginning of the measure description.</p> <p>Final Decision: CMS is finalizing Q #163 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28538) to change the measure description as written above to improve clarity for providers about what constitutes a foot exam. CMS believes this change does not change the intent of the measure, but merely provides clarity in response to providers' feedback.</p>	National Committee for Quality Assurance
!	0129/164	N/A	Effective Clinical Care	Registry	Outcome	Coronary Artery Bypass Graft (CABG): Prolonged Intubation: Percentage of patients aged 18 years and older undergoing isolated CABG surgery who require postoperative intubation > 24 hours.	Society of Thoracic Surgeons

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						<p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q#164 for the 2017 Performance Period.</p>	
* !	0130/165	N/A	Effective Clinical Care	Registry	Outcome	<p>Coronary Artery Bypass Graft (CABG): Deep Sternal Wound Infection Rate: Percentage of patients aged 18 years and older undergoing isolated CABG surgery who, within 30 days postoperatively, develop deep sternal wound infection involving muscle, bone, and/or mediastinum requiring operative intervention.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #165 for the 2017 Performance Period. OMSis also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR28538) to change the reporting mechanism for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. OMSbelieves this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	Society of Thoracic Surgeons
* !	0131/166	N/A	Effective Clinical Care	Registry	Outcome	<p>Coronary Artery Bypass Graft (CABG): Stroke: Percentage of patients aged 18 years and older undergoing isolated CABG surgery who have a postoperative stroke (i.e., any confirmed neurological deficit of abrupt onset caused by a disturbance in blood supply to the brain) that did not resolve within 24 hours.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q#166 for the 2017 Performance Period. OMSis also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR28539) to change the reporting mechanism for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. OMSbelieves this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	Society of Thoracic Surgeons

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
* !	0114/167	N/A	Effective Clinical Care	Registry	Outcome	<p>Coronary Artery Bypass Graft (CABG): Postoperative Renal Failure: Percentage of patients aged 18 years and older undergoing isolated CABG surgery (without pre-existing renal failure) who develop postoperative renal failure or require dialysis.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #167 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28539) to change the reporting mechanism for this measure from Measures Group only to registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	Society of Thoracic Surgeons
* !	0115/168	N/A	Effective Clinical Care	Registry	Outcome	<p>Coronary Artery Bypass Graft (CABG): Surgical Re-Exploration: Percentage of patients aged 18 years and older undergoing isolated CABG surgery who require a return to the operating room (OR) during the current hospitalization for mediastinal bleeding with or without tamponade, graft occlusion, valve dysfunction, or other cardiac reason.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #168 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28540) to change the reporting mechanism for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	Society of Thoracic Surgeons

Indicator	NQF Quality #	QMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
*	N/A 176	N/A	Effective Clinical Care	Registry	Process	<p>Rheumatoid Arthritis (RA): Tuberculosis Screening: Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have documentation of a tuberculosis (TB) screening performed and results interpreted within 6 months prior to receiving a first course of therapy using a biologic disease-modifying anti-rheumatic drug (DMARD).</p> <p>Comment: A commenter requested this measure be removed from a specialty measure set and added to another.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #176 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28540) to change the reporting mechanism for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American College of Rheumatology
*	N/A 177	N/A	Effective Clinical Care	Registry	Process	<p>Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity: Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have an assessment and classification of disease activity within 12 months.</p> <p>Comment: A commenter requested this measure be removed from a specialty measure set and added to another. CMS also received a comment requesting modifications to the measure.</p> <p>Response: We will address all specialty set comments in Table E of the appendix. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #177 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28541) to change the reporting mechanism for this measure from</p>	American College of Rheumatology

Indicator	NOF Quality #	CMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.	
	N/A/ 178	N/A	Effective Clinical Care	Registry	Process	<p>Rheumatoid Arthritis (RA): Functional Status Assessment: Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) for whom a functional status assessment was performed at least once within 12 months.</p> <p>Comment: A commenter requested this measure be removed from a specialty measure set and added to another.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #178 for the 2017 Performance Period.</p>	American College of Rheumatology
*	N/A/ 179	N/A	Effective Clinical Care	Registry	Process	<p>Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis: Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have an assessment and classification of disease prognosis at least once within 12 months.</p> <p>Comment: A commenter requested this measure be removed from a specialty measure set and added to another. CMS also received a comment requesting modifications to the measure.</p> <p>Response: We will address all specialty set comments in Table E of the appendix. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #179 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28541) to change the reporting mechanism for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the</p>	American College of Rheumatology

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.	
*	N/A/180	N/A	Effective Clinical Care	Registry	Process	<p>Rheumatoid Arthritis (RA): Glucocorticoid Management: Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have been assessed for glucocorticoid use and, for those on prolonged doses of prednisone ≥ 10 mg daily (or equivalent) with improvement or no change in disease activity, documentation of glucocorticoid management plan within 12 months.</p> <p>Comment: A commenter requested this measure be removed from a specialty measure set and added to another.</p> <p>Response: We will address all specialty set comments in Table E of the appendix</p> <p>Final Decision: CMS is finalizing Q #180 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28542) to change the reporting mechanism for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American College of Rheumatology
!	N/A/181	N/A	Patient Safety	Claims, Registry	Process	<p>Elder Maltreatment Screen and Follow-Up Plan: Percentage of patients aged 65 years and older with a documented elder maltreatment screen using an Elder Maltreatment Screening Tool on the date of encounter AND a documented follow-up plan on the date of the positive screen.</p> <p>Comment: A commenter did not support our proposal to include this measure in the MIPS quality measure set for 2017 stating that it is not appropriate for physicians to document elder maltreatment. Another commenter requested that this measure be modified.</p> <p>Response: While CMS appreciates the comment, we believe this is an important priority that requires further study. We would also note that there is a significant gap in data and performance regarding the assessment of maltreatment in older adults. We would also note that suggestions</p>	Centers for Medicare & Medicaid Services

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>for the revision of the measure have been shared with our technical expert panel for further review. If our technical expert panel recommends the revision, CMS will test the revised measure and make it available for public comment according to the Measure Management System Blueprint. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking once this process is complete.</p> <p>Final Decision: CMS is finalizing Q #181 for the 2017 Performance Period.</p>	
I	2624/182	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Functional Outcome Assessment: Percentage of visits for patients aged 18 years and older with documentation of a current functional outcome assessment using a standardized functional outcome assessment tool on the date of encounter AND documentation of a care plan based on identified functional outcome deficiencies on the date of the identified deficiencies.</p> <p>Comment: CMS received various comments on this measure ranging from supporting the inclusion of the measure in the cross-cutting measures list to not supporting the measure in MIPS. We also received a request to modify the measure to expand the denominator for primary care providers.</p> <p>Response: CMS will not finalize the cross-cutting measure requirement but appreciates the commenter's request to include the measure in the list. CMS may consider this request for future rulemaking. We would also note that suggestions for the revision of the measure have been shared with our technical expert panel for further review. If our technical expert panel recommends the revision, CMS will test the revised measure and make it available for public comment according to the Measure Management System Blueprint. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking once this process is complete.</p> <p>Final Decision: CMS is finalizing Q #182 for the 2017 Performance Period. There will not be a cross-cutting measure requirement, therefore, this measure will not be included on the list of cross-cutting measures for the 2017 performance period.</p>	Centers for Medicare & Medicaid Services
§ II	0659/185	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Colonoscopy Interval for Patients with a History of Adenomatous Polyps – Avoidance of Inappropriate Use: Percentage of patients aged 18 years and older receiving a surveillance colonoscopy, with a history of a prior</p>	American Gastroenterological Association/ American

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						<p>adenomatous polyp(s) in previous colonoscopy findings, who had an interval of 3 or more years since their last colonoscopy.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure.</p> <p>Final Decision: CMS is finalizing Q #185 for the 2017 Performance Period.</p>	Society for Gastrointestinal Endoscopy/ American College of Gastroenterology
*	N/A/187	N/A	Effective Clinical Care	Registry	Process	<p>Stroke and Stroke Rehabilitation: Thrombolytic Therapy: Percentage of patients aged 18 years and older with a diagnosis of acute ischemic stroke who arrive at the hospital within two hours of time last known well and for whom IV t-PA was initiated within three hours of time last known well.</p> <p>Comments: A commenter requested this measure be added to a specialty measure set.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #187 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28542) to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQRS as an outcome measure. However, upon further review and analysis, CMS believes the classification of this measure is process measure.</p>	American Heart Association
!	0565/191	133 v5	Effective Clinical Care	Registry, EHR	Outcome	<p>Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery: Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and no significant ocular conditions impacting the visual outcome of surgery and had best-corrected visual acuity of 20/40 or better (distance or near) achieved within 90 days following the cataract surgery.</p> <p>Comments: CMS received a comment requesting that we not remove this measure from the MIPS quality measure set for 2017.</p> <p>Response: CMS notes that we did not propose removal of this measure and appreciates the commenters support for inclusion in MIPS.</p> <p>Final Decision: CMS is finalizing Q #191 for the 2017 Performance Period.</p>	Physician Consortium for Performance Improvement Foundation (PCCP)

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
I	0564/192	132 v5	Patient Safety	Registry, EHR	Outcome	<p>Cataracts: Complications within 30 Days Following Cataract Surgery Requiring Additional Surgical Procedures: Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and had any of a specified list of surgical procedures in the 30 days following cataract surgery which would indicate the occurrence of any of the following major complications: retained nuclear fragments, endophthalmitis, dislocated or wrong power IOL, retinal detachment, or wound dehiscence.</p> <p>Comments: CMS received a comment requesting that we not remove this measure from the MIPS quality measure set for 2017.</p> <p>Response: CMS notes that we did not propose removal of this measure and appreciates the commenter's support for inclusion in MIPS.</p> <p>Final Decision: CMS is finalizing Q #192 for the 2017 Performance Period.</p>	Physician Consortium for Performance Improvement Foundation (PCPI®)
	0507/195	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Radiology: Stenosis Measurement in Carotid Imaging Reports: Percentage of final reports for carotid imaging studies (neck magnetic resonance angiography [MRA], neck computed tomography angiography [CTA], neck duplex ultrasound, carotid angiogram) performed that include direct or indirect reference to measurements of distal internal carotid diameter as the denominator for stenosis measurement.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #195 for the 2017 Performance Period.</p>	American College of Radiology
* S	0068/204	164 v5	Effective Clinical Care	Claims, Web Interface, Registry, EHR	Process	<p>Ischemic (IVD): Use of Aspirin or Another Antiplatelet: Percentage of patients 18 years of age and older who were diagnosed with acute myocardial infarction (AMI), coronary artery bypass graft (CABG) or percutaneous coronary interventions (PCI) in the 12 months prior to the measurement period, or who had an active diagnosis of ischemic vascular disease (IVD) during the measurement period and who had documentation of use of aspirin or another antiplatelet during the measurement period.</p> <p>Comments: A commenter requested this measure be added to a specialty measure set. CMS also received a comment requesting modifications to the measure.</p> <p>Response: We will address all specialty set comments in Table E of the appendix. This measure is not owned by CMS and, therefore,</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #204 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28543) to revise the measure title and description to align with the measure's intent and to provide clarity for providers. Additionally, in response to the finalized MIPS policy that no longer includes Measures Group as a data submission mechanism, Measures Group is being removed from this measure as a data submission mechanism.</p>	
§	0409/205	N/A	Effective Clinical Care	Registry	Process	<p>HIV/AIDS Sexually Transmitted Disease Screening for Chlamydia, Gonorrhea, and Syphilis: Percentage of patients aged 13 years and older with a diagnosis of HIV/AIDS for whom chlamydia, gonorrhea and syphilis screenings were performed at least once since the diagnosis of HIV infection.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set. Response: CMS thanks the commenters for their support of the measure.</p> <p>Final Decision: CMS is finalizing Q #205 for the 2017 Performance Period.</p>	National Committee for Quality Assurance
* !	0422/217	N/A	Communication and Care Coordination	Registry	Outcome	<p>Functional Status Change for Patients with Knee Impairments: A self-report measure of change in functional status for patients 14 year+ with knee impairments. The change in functional status assessed using FOTC's (knee) PROM is adjusted to patient characteristics known to be associated with functional status outcomes (risk-adjusted) and used as a performance measure at the patient level, at the individual clinician, and at the clinic level to assess quality.</p> <p>Comments: One commenter identified a discrepancy regarding this measure in the proposed rule noting that the measure type was identified as process in several areas of the appendix.</p> <p>Response: CMS has corrected this discrepancy throughout the appendix of this final rule with comment and appreciates the commenter for their thorough review. This measure will be identified as outcome throughout the appendix to</p>	Focus on Therapeutic Outcomes, Inc.

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^a	Primary Measure Steward
						<p>align with Table A.</p> <p>Final Decision: CMS is finalizing Q #217 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28543) to revise the measure title and description to align with the NQF-endorsed version of the measure. The measure owner revised the title and description of the measure to be consistent with the change in numerator details that now calculate the change in functional status score and denominator details that include patients that completed the FOTO knee FSPROM at admission and discharge. Additionally, this change in numerator and denominator details entails that the measure type changes from process to outcome.</p>	
* !	0423/218	N/A	Communication and Care Coordination	Registry	Outcome	<p>Functional Status Change for Patients with Hip Impairments: A self-report measure of change in functional status for patients 14 years+ with hip impairments. The change in functional status assessed using FOTO's (hip) PROM is adjusted to patient characteristics known to be associated with functional status outcomes (risk-adjusted) and used as a performance measure at the patient level, at the individual clinician, and at the clinic level to assess quality.</p> <p>Comments: One commenter identified a discrepancy regarding this measure in the proposed rule noting that the measure type was identified as process in several areas of the appendix and outcome in others.</p> <p>Response: CMS has corrected this discrepancy throughout the appendix of the final rule with comments and appreciates the commenter for their thorough review. This measure will be identified as outcome throughout the appendix to align with Table A.</p> <p>Final Decision: CMS is finalizing Q #218 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28544) to revise the measure title and description to align with the NQF-endorsed version of the measure. The measure owner revised the title and description of the measure to be consistent with the change in numerator details that now calculate the average change in functional status scores in patients who were treated in a 12-month period and denominator details that include patients that completed the FOTO hip FSPROM at admission and discharge.</p>	Focus on Therapeutic Outcomes, Inc.

Indicator	NOF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
* !	0424/219	N/A	Communication and Care Coordination	Registry	Outcome	<p>Functional Status Change for Patients with Foot and Ankle Impairments: A self-report measure of change in functional status for patients 14 years+ with foot and ankle impairments. The change in functional status assessed using FOTO's (foot and ankle) FFROM is adjusted to patient characteristics known to be associated with functional status outcomes (risk-adjusted) and used as a performance measure at the patient level, at the individual clinician, and at the clinic level to assess quality.</p> <p>Comments: One commenter identified a discrepancy regarding this measure in the proposed rule noting that the measure type was identified as process in several areas of the appendix and outcome in others.</p> <p>Response: OMS has corrected this discrepancy throughout the appendix of this final rule with comment and appreciates the commenter for their thorough review. This measure will be identified as outcome throughout the appendix to align with Table A.</p> <p>Final Decision: OMS is finalizing Q #219 for the 2017 Performance Period. OMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28545) to revise the measure title and description to align with the NOF-endorsed version of the measure. The measure owner revised the title and description of the measure to be consistent with the change in numerator details that now calculate the average change in functional status scores in patients who were treated in a 12-month period and denominator details that include patients that completed the FOTO hip FSPFROM at admission and discharge.</p>	Focus on Therapeutic Outcomes, Inc.
* !	0425/220	N/A	Communication and Care Coordination	Registry	Outcome	<p>Functional Status Change for Patients with Lumbar Impairments: A self-report outcome measure of functional status for patients 14 years+ with lumbar impairments. The change in functional status assessed using FOTO's (lumbar) FFROM is adjusted to patient characteristics known to be associated with functional status outcomes (risk-adjusted) and used as a performance measure at the patient level, at the individual clinician, and at the clinic level to assess quality.</p> <p>Comments: One commenter identified a discrepancy regarding this measure in the proposed rule noting that the measure type was identified as process in several areas of the appendix and outcome in others.</p> <p>Response: OMS has corrected this discrepancy throughout the appendix of this final rule with comment and appreciates the commenter for</p>	Focus on Therapeutic Outcomes, Inc.

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>their thorough review. This measure will be identified as outcome throughout the appendix to align with Table A.</p> <p>Final Decision: CMS is finalizing Q #220 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28545) to revise the measure title and description to align with the NQF-endorsed version of the measure. The measure owner revised the title and description of the measure to be consistent with the change in numerator details that now calculate the average functional status score for patients treated in a 12-month period compared to a standard threshold and denominator details that include patients that completed the FOTO (lumbar) FROM.</p>	
* !	0426/221	N/A	Communication and Care Coordination	Registry	Outcome	<p>Functional Status Change for Patients with Shoulder Impairments: A self-report outcome measure of change in functional status for patients 14 years+ with shoulder impairments. The change in functional status assessed using FOTO's (shoulder) FFROM is adjusted to patient characteristics known to be associated with functional status outcomes (risk-adjusted) and used as a performance measure at the patient level, at the individual clinician, and at the clinic level to assess quality.</p> <p>Comments: One commenter identified a discrepancy regarding this measure in the proposed rule noting that the measure type was identified as process in several areas of the appendix and outcome in others.</p> <p>Response: CMS has corrected this discrepancy throughout the appendix of this final rule with comment and appreciates the commenter for their thorough review. This measure will be identified as outcome throughout the appendix to align with Table A.</p> <p>Final Decision: CMS is finalizing Q #221 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28546) to revise the measure title and description to align with the NQF-endorsed version of the measure. The measure owner revised the title and description of the measure to be consistent with the change in numerator details that now calculate the average functional status score in patients treated in a 12-month period and denominator details that include patients that completed the FOTO shoulder FS outcome instrument at admission and discharge.</p>	Focus on Therapeutic Outcomes, Inc.

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
* !	0427/222	N/A	Communication and Care Coordination	Registry	Outcome	<p>Functional Status Change for Patients with Elbow, Wrist and Hand Impairments: A self-report outcome measure of functional status for patients 14 years+ with elbow, wrist and hand impairments. The change in functional status assessed using FOTO's (elbow, wrist and hand) FROM is adjusted to patient characteristics known to be associated with functional status outcomes (risk-adjusted) and used as a performance measure at the patient level, at the individual clinician, and at the clinic level to assess quality.</p> <p>Comments: One commenter identified a discrepancy regarding this measure in the proposed rule noting that the measure type was identified as process in several areas of the appendix and outcome in others.</p> <p>Response: CMS has corrected this discrepancy throughout the appendix of this final rule with comment and appreciates the commenter for their thorough review. This measure will be identified as outcome throughout the appendix to align with Table A.</p> <p>Final Decision: CMS is finalizing Q #222 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28547) to revise the measure title and description to align with the NQF-endorsed version of the measure. The measure owner revised the title and description of the measure to be consistent with the change in numerator details that now calculate the average functional status scores for patients treated over a 12-month period and denominator details that include patients that completed the FOTO (elbow, wrist, and hand) FROM.</p>	Focus on Therapeutic Outcomes, Inc.
* !	0428/223	N/A	Communication and Care Coordination	Registry	Outcome	<p>Functional Status Change for Patients with General Orthopedic Impairments: A self-report outcome measure of functional status for patients 14 years+ with general orthopedic impairments. The change in functional status assessed using FOTO (general orthopedic) FROM is adjusted to patient characteristics known to be associated with functional status outcomes (risk-adjusted) and used as a performance measure at the patient level, at the individual clinician, and at the clinic level to assess quality.</p> <p>Comments: One commenter identified a discrepancy regarding this measure in the proposed rule noting that the measure type was identified as process in several areas of the appendix and outcome in others.</p> <p>Response: CMS has corrected this discrepancy throughout the appendix of the final rule with comments and appreciates the commenter for</p>	Focus on Therapeutic Outcomes, Inc.

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>their thorough review. This measure will be identified as outcome throughout the appendix to align with Table A.</p> <p>Final Decision: CMS is finalizing Q #223 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28547) to revise the measure title and description to align with the NQF-endorsed version of the measure. The measure owner revised the title and description of the measure to be consistent with the change in numerator details that now calculate the change in functional status scores for patients over a 12-month period and denominator details that include patients that completed the FOTO (general orthopedic) PROM.</p>	
!!	0562/224	N/A	Efficiency and Cost Reduction	Registry	Process	<p>Melanoma: Overutilization of Imaging Studies in Melanoma: Percentage of patients, regardless of age, with a current diagnosis of stage 0 through IIC melanoma or a history of melanoma of any stage, without signs or symptoms suggesting systemic spread, seen for an office visit during the one-year measurement period, for whom no diagnostic imaging studies were ordered.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #224 for the 2017 Performance Period.</p>	American Academy of Dermatology
!	0509/225	N/A	Communication and Care Coordination	Claims, Registry	Structure	<p>Radiology: Reminder System for Screening Mammograms: Percentage of patients undergoing a screening mammogram whose information is entered into a reminder system with a target due date for the next mammogram.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #225 for the 2017 Performance Period.</p>	American College of Radiology
§	0028/226	138 v5	Community/Population Health	Claims, Web Interface, Registry, EHR	Process	<p>Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention: Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set. A commenter also requested this measure be added to a specialty measure set.</p> <p>Response: CMS thanks the commenters for their</p>	Physician Consortium for Performance Improvement Foundation (PCPI®)

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						support of the measure. We will address all specialty set comments in Table E of the appendix. Final Decision: CMS is finalizing Q #226 for the 2017 Performance Period.	
S	0018/236	165 v5	Effective Clinical Care	Claims, Web Interface, Registry, EHR	Intermediate Outcome	<p>Controlling High Blood Pressure: Percentage of patients 18-85 years of age who had a diagnosis of hypertension and whose blood pressure was adequately controlled (<140/90 mmHg) during the measurement period.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set. CMS also received a comment requesting modifications to the measure. A third commenter requested this measure be added to a specialty measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure. We would also note that suggestions for the revision of the measure have been shared with our technical expert panel for further review. If our technical expert panel recommends the revision, CMS will test the revised measure and make it available for public comment according to the Measure Management System Blueprint. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking once this process is complete. We will also note that we will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #236 for the 2017 Performance Period.</p>	National Committee for Quality Assurance
I	0022/238	156 v5	Patient Safety	Registry, EHR	Process	<p>Use of High-Risk Medications in the Elderly: Percentage of patients 66 years of age and older who were ordered high-risk medications. Two rates are reported.</p> <p>a. Percentage of patients who were ordered at least one high-risk medication.</p> <p>b. Percentage of patients who were ordered at least two different high-risk medications.</p> <p>Comment: CMS received several comments supporting the inclusion of the measure in the MIPS quality measure set for 2017. However, we also received a comment requesting this measure be removed. One commenter noted that they support the inclusion of the measure with specific modifications for patient risk groups.</p> <p>Response: While CMS appreciates all the comments we received regarding this measure, we could not identify justification from the commenter that supported removing the measure. Since this measure is not owned by CMS and, therefore, cannot be modified without</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #238 for the 2017 Performance Period.</p>	
	0024/239	155 v5	Community/Population Health	EHR	Process	<p>Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents: Percentage of patients 3-17 years of age who had an outpatient visit with a Primary Care Physician (PCP) or Obstetrician/Gynecologist (OB/GYN) and who had evidence of the following during the measurement period. Three rates are reported.</p> <ul style="list-style-type: none"> - Percentage of patients with height, weight, and body mass index (BMI) percentile documentation - Percentage of patients with counseling for nutrition - Percentage of patients with counseling for physical activity <p>Comments: We received a comment stating that according to the Binge Eating Disorder Association, this measure is not supported by current clinical evidence with respect to improved health outcomes for all patients. The commenter stated the measure could harm patients with Binge eating disorders.</p> <p>Response: CMS recognizes that this measure may not be ideal for providers whose patients are suffering from this specific condition. However, CMS ascertains that this measure is meant for providers whose patients may have weight or BMI issues associated with being outside of normal weight parameters. CMS relies on the provider to provide the appropriate clinical follow-up for patients, recognizing the various associated issues a patient may or may not face. Because, there are a number of chronic illnesses that are linked to being outside of normal weight parameters and research shows that proper screening and follow-up is an appropriate way to address weight related issues, CMS believes this is a valid measure and should remain in the program.</p> <p>Final Decision: CMS is finalizing Q #239 for the 2017 Performance Period.</p>	National Committee for Quality Assurance
	0038/240	117 v5	Community/Population Health	EHR	Process	<p>Childhood Immunization Status: Percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV), one measles, mumps and rubella (MMR); three H influenza type B (HiB); three hepatitis B (Hep B); one chicken pox (VZV); four</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>pneumococcal conjugate (PCV); one hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday.</p> <p>Comments: CMS received comments supporting our decision to include this measure in the MIPS quality measure set. CMS also received a comment requesting modifications to the measure. A commenter also requested that this measure be added to the cross-cutting measures list.</p> <p>Response: This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking. Additionally, CMS will not finalize the cross-cutting measure requirement but appreciates the commenters request to include the measure in the list. CMS may consider this request for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #240 for the 2017 Performance Period. There will not be a cross-cutting measures list for 2017.</p>	
I	0643/243	N/A	Communication and Care Coordination	Registry	Process	<p>Cardiac Rehabilitation Patient Referral from an Outpatient Setting: Percentage of patients evaluated in an outpatient setting who within the previous 12 months have experienced an acute myocardial infarction (MI), coronary artery bypass graft (CABG) surgery, a percutaneous coronary intervention (PCI), cardiac valve surgery, or cardiac transplantation, or who have chronic stable angina (CSA) and have not already participated in an early outpatient cardiac rehabilitation/secondary prevention (CR) program for the qualifying event/diagnosis who were referred to a CR program.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #243 for the 2017 Performance Period.</p>	American College of Cardiology Foundation
	1854/249	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Barrett's Esophagus: Percentage of esophageal biopsy reports that document the presence of Barrett's mucosa that also include a statement about dysplasia.</p> <p>Comments: CMS received comments requesting that this measure be categorized as an outcome measure rather than a process measure.</p>	College of American Pathologists

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						<p>Response: CMS reviewed details of the measure and consulted NQF regarding the appropriate designation. NQF identified this measure as a process measure, with which CMS agrees. Therefore, CMS is finalizing this measure as a process measure.</p> <p>Final Decision: CMS is finalizing Q #249 with the process measure designation for the 2017 Performance Period.</p>	
§	1853/250	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Radical Prostatectomy Pathology Reporting: Percentage of radical prostatectomy pathology reports that include the pT category, the pN category, the Gleason score and a statement about margin status.</p> <p>Comments: CMS received comments requesting that this measure be categorized as an outcome measure rather than a process measure.</p> <p>Response: CMS reviewed details of the measure and consulted NQF regarding the appropriate designation. NQF identified this measure as a process measure, with which CMS agrees. Therefore, CMS is finalizing this measure as a process measure.</p> <p>Final Decision: CMS is finalizing Q #250 with the process measure designation for the 2017 Performance Period.</p>	College of American Pathologists
	1855/251	N/A	Effective Clinical Care	Claims, Registry	Structure	<p>Quantitative Immunohistochemical (IHC) Evaluation of Human Epidermal Growth Factor Receptor 2 Testing (HER2) for Breast Cancer Patients: This is a measure based on whether quantitative evaluation of Human Epidermal Growth Factor Receptor 2 Testing (HER2) by immunohistochemistry (IHC) uses the system recommended in the current ASCO/CAP Guidelines for Human Epidermal Growth Factor Receptor 2 Testing in breast cancer.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #251 for the 2017 Performance Period. This measure remains a structural measure.</p>	College of American Pathologists
	0651/254	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Ultrasound Determination of Pregnancy Location for Pregnant Patients with Abdominal Pain: Percentage of pregnant female patients aged 14 to 50 who present to the emergency department (ED) with a chief complaint of abdominal pain or vaginal bleeding who receive a trans-abdominal or trans-vaginal ultrasound to determine pregnancy location.</p> <p>Comments: One commenter requested that we</p>	American College of Emergency Physicians

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						<p>remove this measure from the Emergency specialty set, citing only the burden of reporting. Another commenter believed this measure is relevant and should remain in Emergency specialty set.</p> <p>Response: CMS believes this measure is relevant to emergency medicine and will retain this measure in the Emergency specialty set.</p> <p>Final Decision: CMS is finalizing Q #254 for the 2017 Performance Period.</p>	
	N/A/255	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Rh Immunoglobulin (Rhogam) for Rh-Negative Pregnant Women at Risk of Fetal Blood Exposure: Percentage of Rh-negative pregnant women aged 14-50 years at risk of fetal blood exposure who receive Rh-Immunoglobulin (Rhogam) in the emergency department (ED).</p> <p>Comments: One commenter requested that we remove measure from Emergency specialty set, citing only the burden of reporting. Another commenter believed this measure is relevant and should remain in Emergency specialty set.</p> <p>Response: We note that we will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #255 for the 2017 Performance Period.</p>	American College of Emergency Physicians
	1519/257	N/A	Effective Clinical Care	Registry	Process	<p>Statin Therapy at Discharge after Lower Extremity Bypass (LEB): Percentage of patients aged 18 years and older undergoing infra-inguinal lower extremity bypass who are prescribed a statin medication at discharge.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set. CMS also received a comment requesting modifications to the measure.</p> <p>Response: CMS thanks the commenters for their support of the measure. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #257 for the 2017 Performance Period.</p>	Society for Vascular Surgeons

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
!	N/A/258	N/A	Patient Safety	Registry	Outcome	<p>Rate of Open Repair of Small or Moderate Non-Ruptured Infrarenal Abdominal Aortic Aneurysms (AAA) without Major Complications (Discharged to Home by Post-Operative Day #7): Percent of patients undergoing open repair of small or moderate sized non-ruptured infrarenal abdominal aortic aneurysms who do not experience a major complication (discharge to home no later than post-operative day #7).</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #258 for the 2017 Performance Period. This measure remains an outcome measure.</p>	Society for Vascular Surgeons
!	N/A/259	N/A	Patient Safety	Registry	Outcome	<p>Rate of Endovascular Aneurysm Repair (EVAR) of Small or Moderate Non-Ruptured Infrarenal Abdominal Aortic Aneurysms (AAA) without Major Complications (Discharged to Home by Post-Operative Day #2): Percent of patients undergoing endovascular repair of small or moderate non-ruptured infrarenal abdominal aortic aneurysms (AAA) that do not experience a major complication (discharge to home no later than post-operative day #2).</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #259 for the 2017 Performance Period. This measure remains an outcome measure.</p>	Society for Vascular Surgeons
!	N/A/260	N/A	Patient Safety	Registry	Outcome	<p>Rate of Carotid Endarterectomy (CEA) for Asymptomatic Patients, without Major Complications (Discharged to Home by Post-Operative Day #2): Percent of asymptomatic patients undergoing CEA who are discharged to home no later than post-operative day #2.</p> <p>Comment: Commenter did not support the inclusion of this measure in the MIPS quality measure set for 2017. Commenter noted that there could be significant potential to cause patient harm by incentivizing clinicians to discharge patients too early.</p> <p>Response: CMS appreciates the commenter's concern regarding patient safety when it comes to length of stay. However, CMS would advise that this measure should be used as a good barometer for eligible clinicians to meet appropriate stay criteria. We believe this measure provides an estimate of length of stay and should remain in the measure set.</p> <p>Final Decision: CMS is finalizing Q #422 for the 2017 Performance Period. This measure remains</p>	Society for Vascular Surgeons

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						an outcome measure.	
I	N/A/261	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Referral for Otologic Evaluation for Patients with Acute or Chronic Dizziness: Percentage of patients aged birth and older referred to a physician (preferably a physician specially trained in disorders of the ear) for an otologic evaluation subsequent to an audiologic evaluation after presenting with acute or chronic dizziness.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: CMSis finalizing Q #261 for the 2017 Performance Period.</p>	Audiology Quality Consortium
I	N/A/262	N/A	Patient Safety	Registry	Process	<p>Image Confirmation of Successful Excision of Image-Localized Breast Lesion: Image confirmation of lesion(s) targeted for image guided excisional biopsy or image guided partial mastectomy in patients with nonpalpable, image-detected breast lesion(s). Lesions may include: microcalcifications, mammographic or sonographic mass or architectural distortion, focal suspicious abnormalities on magnetic resonance imaging (MRI) or other breast imaging amenable to localization such as positron emission tomography (PET) mammography, or a biopsy marker demarcating site of confirmed pathology as established by previous core biopsy.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: CMSis finalizing Q #262 for the 2017 Performance Period.</p>	American Society of Breast Surgeons
	N/A/263	N/A	Effective Clinical Care	Registry	Process	<p>Preoperative Diagnosis of Breast Cancer: The percent of patients undergoing breast cancer operations who obtained the diagnosis of breast cancer preoperatively by a minimally invasive biopsy method.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: CMSis finalizing Q #263 for the 2017 Performance Period.</p>	American Society of Breast Surgeons
	N/A/264	N/A	Effective Clinical Care	Registry	Process	<p>Sentinel Lymph Node Biopsy for Invasive Breast Cancer: The percentage of clinically node negative (clinical stage T1N0M0 or T2N0M0) breast cancer patients who undergo a sentinel lymph node (SLN) procedure.</p> <p>OMSDid not receive specific comments regarding this measure.</p>	American Society of Breast Surgeons

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^a	Primary Measure Steward
						Final Decision: CMS is finalizing Q #264 for the 2017 Performance Period.	
I	N/A/265	N/A	Communication and Care Coordination	Registry	Process	<p>Biopsy Follow-Up: Percentage of new patients whose biopsy results have been reviewed and communicated to the primary care/referring physician and patient by the performing physician.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #265 for the 2017 Performance Period.</p>	American Academy of Dermatology
*	1814/268	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Epilepsy: Counseling for Women of Childbearing Potential with Epilepsy: All female patients of childbearing potential (12 - 44 years old) diagnosed with epilepsy who were counseled or referred for counseling for how epilepsy and its treatment may affect contraception OR pregnancy at least once a year.</p> <p>Comments: CMS received a comment that did not support including this measure in the MIPS quality measure set for 2017 because the commenter believes it is inappropriate for clinicians to spend time counseling patients annually on the effect of epilepsy on contraception and childbearing. A commenter also requested this measure be substantively modified. We also received a comment requesting this measure be added to a specialty measure set.</p> <p>Response: Regarding the comment for inclusion, CMS does not agree that it is inappropriate to have annual counseling for women of childbearing potential with epilepsy. The severity of epilepsy treatment on contraception and an unborn fetus should have providers more cautious to work with women to ensure counseling is done and follow-up plans are covered if patient preferences change. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking. We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #268 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28548) to change this measure type designation from outcome measure to process measure. This measure was previously</p>	American Academy of Neurology

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^a	Primary Measure Seward
						finalized in PQRS as an outcome measure. However, upon further review and analysis of the measure specification, OMS believes the classification of this measure to be a process measure. This would be consistent with the clinical action required for the measure and would align the measure type with the NQF-endorsed version.	
§	N/A/271	N/A	Effective Clinical Care	Registry	Process	<p>Inflammatory Bowel Disease (IBD): Preventive Care: Corticosteroid Related Iatrogenic Injury – Bone Loss Assessment: Percentage of patients aged 18 years and older with an inflammatory bowel disease encounter who were prescribed prednisone equivalents greater than or equal to 10 mg/day for 60 or greater consecutive days or a single prescription equating to 600mg prednisone or greater for all fills and were documented for risk of bone loss once during the reporting year or the previous calendar year.</p> <p>Comments: A commenter requested this measure be removed from a specialty measure set.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #271 for the 2017 Performance Period.</p>	American Gastroenterological Association
	N/A/275	N/A	Effective Clinical Care	Registry	Process	<p>Inflammatory Bowel Disease (IBD): Assessment of Hepatitis B Virus (HBV) Status Before Initiating Anti-TNF (Tumor Necrosis Factor) Therapy: Percentage of patients aged 18 years and older with a diagnosis of inflammatory bowel disease (IBD) who had Hepatitis B Virus (HBV) status assessed and results interpreted within one year prior to receiving a first course of anti-TNF (tumor necrosis factor) therapy.</p> <p>Comments: A commenter requested this measure be removed from a specialty measure set.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #275 for the 2017 Performance Period.</p>	American Gastroenterological Association
*	N/A/276	N/A	Effective Clinical Care	Registry	Process	<p>Sleep Apnea: Assessment of Sleep Symptoms: Percentage of visits for patients aged 18 years and older with a diagnosis of obstructive sleep apnea that includes documentation of an assessment of sleep symptoms, including presence or absence of snoring and daytime sleepiness.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set.</p>	American Academy of Sleep Medicine

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>Response: CMS thanks the commenters for their support of the measure</p> <p>Final Decision: CMS is finalizing Q #276 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28549) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	
*	N/A/277	N/A	Effective Clinical Care	Registry	Process	<p>Sleep Apnea: Severity Assessment at Initial Diagnosis: Percentage of patients aged 18 years and older with a diagnosis of obstructive sleep apnea who had an apnea hypopnea index (AHI) or a respiratory disturbance index (FDI) measured at the time of initial diagnosis.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure</p> <p>Final Decision: CMS is finalizing Q #277 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28549) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measure Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American Academy of Sleep Medicine
*	N/A/278	N/A	Effective Clinical Care	Registry	Process	<p>Sleep Apnea: Positive Airway Pressure Therapy Prescribed: Percentage of patients aged 18 years and older with a diagnosis of moderate or severe obstructive sleep apnea who were prescribed positive airway pressure therapy.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their</p>	American Academy of Sleep Medicine

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>support of the measure</p> <p>Final Decision: CMS is finalizing MIPS Q278 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28550) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	
*	N/A/279	N/A	Effective Clinical Care	Registry	Process	<p>Sleep Apnea: Assessment of Adherence to Positive Airway Pressure Therapy: Percentage of visits for patients aged 18 years and older with a diagnosis of obstructive sleep apnea who were prescribed positive airway pressure therapy who had documentation that adherence to positive airway pressure therapy was objectively measured.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure</p> <p>Final Decision: CMS is finalizing Q #279 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28550) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American Academy of Sleep Medicine
	N/A/281	149 v5	Effective Clinical Care	B-IR	Process	<p>Dementia: Cognitive Assessment: Percentage of patients, regardless of age, with a diagnosis of dementia for whom an assessment of cognition is performed and the results reviewed at least once within a 12-month period.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #281 for the 2017 Performance Period.</p>	Physician Consortium for Performance Improvement Foundation (PCPI®)

Indicator	NQF Quality #	OMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
*	N/A/282	N/A	Effective Clinical Care	Registry	Process	<p>Dementia: Functional Status Assessment: Percentage of patients, regardless of age, with a diagnosis of dementia for whom an assessment of functional status is performed and the results reviewed at least once within a 12-month period.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: CMSis finalizing Q #282 for the 2017 Performance Period. CMSproposed in Table G of the Appendix of the proposed rule (81 FR 28551) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, since MIPS does not include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMSbelieves this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American Academy of Neurology
*	N/A/283	N/A	Effective Clinical Care	Registry	Process	<p>Dementia: Neuropsychiatric Symptom Assessment: Percentage of patients, regardless of age, with a diagnosis of dementia and for whom an assessment of neuropsychiatric symptoms is performed and results reviewed at least once in a 12-month period.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: CMSis finalizing Q #283 for the 2017 Performance Period. CMSis finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28551) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMSbelieves this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American Academy of Neurology
*	N/A/284	N/A	Effective Clinical Care	Registry	Process	<p>Dementia: Management of Neuropsychiatric Symptoms: Percentage of patients, regardless of age, with a diagnosis of dementia who have one or more neuropsychiatric symptoms who received or were recommended to receive an intervention</p>	American Academy of Neurology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						<p>for neuropsychiatric symptoms within a 12-month period.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #284 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28552) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	
* !	N/A/286	N/A	Patient Safety	Registry	Process	<p>Dementia: Counseling Regarding Safety Concerns: Percentage of patients, regardless of age, with a diagnosis of dementia or their caregiver(s) who were counseled or referred for counseling regarding safety concerns within a 12-month period.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #286 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28552) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American Academy of Neurology
* !	N/A/288	N/A	Communication and Care Coordination	Registry	Process	<p>Dementia: Caregiver Education and Support: Percentage of patients, regardless of age, with a diagnosis of dementia whose caregiver(s) were provided with education on dementia disease management and health behavior changes AND referred to additional sources for support within a 12-month period.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their</p>	American Academy of Neurology

Indicator	NOF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>support of the measure.</p> <p>Final Decision: CMS is finalizing Q #288 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28553) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	
*	N/A/290	N/A	Effective Clinical Care	Registry	Process	<p>Parkinson's Disease-Psychiatric Symptoms Assessment for Patients with Parkinson's Disease: All patients with a diagnosis of Parkinson's disease who were assessed for psychiatric symptoms (e.g., psychosis, depression, anxiety disorder, apathy, or impulse control disorder) in the last 12 months</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #290 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28553) to change the data submission for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. In response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure. Additionally, CMS proposes to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQRS as an outcome measure. However, upon further review and analysis of the measure specification, CMS proposes to revise the classification of this measure to process measure to match the clinical action of psychiatric disease assessment.</p>	American Academy of Neurology
*	N/A/291	N/A	Effective Clinical Care	Registry	Process	<p>Parkinson's Disease-Cognitive Impairment or Dysfunction Assessment: All patients with a diagnosis of Parkinson's disease who were assessed for cognitive impairment or dysfunction in the last 12 months</p> <p>CMS did not receive specific comments regarding</p>	American Academy of Neurology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						<p>this measure.</p> <p>Final Decision: CMS is finalizing Q #291 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28554) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. In response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure. Additionally, CMS proposes to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQFS as an outcome measure. However, upon further review and analysis, CMS proposes to revise the classification of this measure to process measure in order to match the clinical action of assessment of cognitive impairment.</p>	
* !	N/A/293	N/A	Communication and Care Coordination	Registry	Process	<p>Parkinson's Disease Rehabilitative Therapy Options: All patients with a diagnosis of Parkinson's disease (or caregiver(s), as appropriate) who had rehabilitative therapy options (e.g., physical, occupational, or speech therapy) discussed in the last 12 months</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #293 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28554) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. In response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure. Additionally, CMS proposes to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQFS as an outcome measure. However, upon further review and analysis, CMS proposes to revise the classification of this measure to process measure in order to match the clinical action of communication about therapy options.</p>	American Academy of Neurology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
* !	N/A/294	N/A	Communication and Care Coordination	Registry	Process	<p>Parkinson's Disease. Parkinson's Disease Medical and Surgical Treatment Options Reviewed: All patients with a diagnosis of Parkinson's disease (or caregiver(s), as appropriate) who had the Parkinson's disease treatment options (e.g., non-pharmacological treatment, pharmacological treatment, or surgical treatment) reviewed at least once annually.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #294 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28555) to change the reporting mechanism for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. In response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure. Additionally, CMS proposes to change this measure type designation from outcome measure to process measure. This measure was previously finalized in POFs as an outcome measure. However, upon further review and analysis, CMS proposes to revise the classification of this measure to process measure in order to match the clinical action of communicating treatment options.</p>	American Academy of Neurology
!	1536/303	N/A	Person and Caregiver-Centered Experience and Outcomes	Registry	Outcome	<p>Cataract Improvement in Patient's Visual Function within 90 Days Following Cataract Surgery: Percentage of patients aged 18 years and older who had cataract surgery and had improvement in visual function achieved within 90 days following the cataract surgery, based on completing a pre-operative and post-operative visual function survey.</p> <p>Comment: CMS received a comment requesting we not remove this measure adding that the denominator should be modified. We also received a comment suggesting the measure be removed from MIPS.</p> <p>Response: CMS would like to clarify that we did not propose this measure for removal in the proposed rule. We do, however, agree that it should remain in the program. Regarding the modification to the denominator, this measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any</p>	American Academy of Ophthalmology

Indicator	NQF Quality #	QMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^a	Primary Measure Steward
						<p>modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #303 for the 2017 Performance Period.</p>	
I	N/A/304	N/A	Person and Caregiver-Centered Experience and Outcomes	Registry	Outcome	<p>Cataracts Patient Satisfaction within 90 Days Following Cataract Surgery: Percentage of patients aged 18 years and older who had cataract surgery and were satisfied with their care within 90 days following the cataract surgery, based on completion of the Consumer Assessment of Healthcare Providers and Systems Surgical Care Survey.</p> <p>Comment: CMS received a comment requesting we not remove this measure adding that the denominator should be modified. We also received a comment suggesting the measure be removed from MIPS.</p> <p>Response: CMS would like to clarify that we did not propose this measure for removal in the proposed rule. We do, however, agree that it should remain in the program. Regarding the modification to the denominator, this measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #304 for the 2017 Performance Period.</p>	American Academy of Ophthalmology
	0004/305	137 v5	Effective Clinical Care	EHR	Process	<p>Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: Percentage of patients 13 years of age and older with a new episode of alcohol and other drug (AOD) dependence who received the following. Two rates are reported.</p> <p>a. Percentage of patients who initiated treatment within 14 days of the diagnosis.</p> <p>b. Percentage of patients who initiated treatment and who had two or more additional services with an AOD diagnosis within 30 days of the initiation visit.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #305 for the 2017 Performance Period. This measure remains a</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ¹	Primary Measure Steward
						process measure.	
* §	0032/309	124 v5	Effective Clinical Care	EHR	Process	<p>Cervical Cancer Screening: Percentage of women 21-64 years of age, who were screened for cervical cancer using either of the following criteria.</p> <ul style="list-style-type: none"> • Women age 21-64 who had cervical cytology performed every 3 years • Women age 30-64 who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years <p>Comments: A commenter requested this measure be added to a specialty measure set.</p> <p>Response: We will address all specialty set comments in Table E of the appendix</p> <p>Final Decision: CMS is finalizing Q #309 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28555) and is finalizing a change to the measure description of this measure to align with measure intent and 2012 USPSTF recommendation: U.S. Preventive Services Task Force. 2012. "Screening for Cervical Cancer: U.S. Preventive Services Task Force Recommendation Statement." Ann Intern Med. 156(12):880-91.</p>	National Committee for Quality Assurance
	0033/310	153 v5	Community/Population Health	EHR	Process	<p>Chlamydia Screening for Women: Percentage of women 16-24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement period.</p> <p>Comments: A commenter requested this measure be added to a specialty measure set. In particular, the commenter asked that the CMS pediatric core measure set align with the CHIPPA core set.</p> <p>Response: We will address all specialty set comments in Table E of the appendix. However, regarding the specific request of the CHIPPA core measures, CMS has tried to align its pediatric core measure set with the CHIPPA core set where practicable.</p> <p>Final Decision: CMS is finalizing Q #310 for the 2017 Performance Period.</p>	National Committee for Quality Assurance
§ !!	0052/312	166 v6	Efficiency and Cost Reduction	EHR	Process	<p>Use of Imaging Studies for Low Back Pain: Percentage of patients 18-50 years of age with a diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis.</p> <p>Comment: CMS received a comment supporting the designation of this measure as an appropriate use measure.</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						<p>Response: CMS thanks the commenter for their support of this measure being designated as an appropriate use measure.</p> <p>Final Decision: CMS is finalizing Q #312 for the 2017 Performance Period and its proposal in Table G of the Appendix of the proposed rule (81 FR 28532) to change the reporting mechanism for this measure by removing it from the Web Interface. The Web Interface measure set contains measures for primary care and also includes relevant measures from the PCMH Core Measure Set established by the Core Quality Measure Collaborative (CQMC). This measure is not a measure in the core set and is being finalized for removal from the Web Interface to align the Web Interface measure set with the PCMH Core Measure Set. This measure remains a high priority, appropriate use and process measure.</p>	
*	N/A/317	22v5	Community/Population Health	Claims, Registry, EHR	Process	<p>Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented: Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated.</p> <p>Comments: CMS received a commenter that did not support inclusion of the measure in the MIPS quality measure set. CMS also received a further comment stating the measure does not align with USPSTF recommendations and monitoring blood pressure at home.</p> <p>Response: CMS believes this measure, although not fully aligned with current USPSTF recommendations is appropriate for screening and follow-up. CMS continues to work with other stakeholders and experts in the field to determine the validity of the measure indices.</p> <p>Final Decision: CMS is finalizing Q #317 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28556) a change to the data submission method for this measure and remove it from the Web Interface. The Web Interface measure set contains measures for primary care and also includes relevant measures from the PCMH Core Measure Set established by the CQMC. This measure is not a core measure and is being removed to align the Web Interface measure set with the PCMH Core Measure Set. Additionally, in response to the finalized MIPS policy to no longer include Measures Group as a data submission method, Measures Group is being removed from this measure as a data submission</p>	Centers for Medicare & Medicaid Services

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						method.	
!	0101/318	139 v5	Patient Safety	Web Interface, EHR	Process	<p>Falls: Screening for Fall Risk: Percentage of patients 65 years of age and older who were screened for future fall risk at least once during the measurement period.</p> <p>Comment: A commenter requested that this measure be added to the cross-cutting measures list.</p> <p>Response: CMS will not finalize the cross-cutting measure requirement but appreciates the commenter's request to include the measure in the list. CMS may consider this request for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #318 for the 2017 Performance Period. There will not be a cross-cutting measures list for the 2017 performance period.</p>	National Committee for Quality Assurance
§ !!	0658/320	N/A	Communication and Care Coordination	Claims, Registry	Process	<p>Appropriate Follow-Up Interval for Normal Colonoscopy in Average Risk Patients: Percentage of patients aged 50 to 75 years of age receiving a screening colonoscopy without biopsy or polypectomy who had a recommended follow-up interval of at least 10 years for repeat colonoscopy documented in their colonoscopy report.</p> <p>Comments: Commenter supports our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure.</p> <p>Final Decision: CMS is finalizing Q #320 for the 2017 Performance Period.</p>	American Gastroenterological Association/ American Society for Gastrointestinal Endoscopy/ American College of Gastroenterology
§ !	0005 & 0006/321	N/A	Person and Caregiver-Centered Experience and Outcomes	CMS approved Survey Vendor	Patient Engagement/ Experience	<p>CAHPS for MIPS Clinician/Group Survey: <u>Summary Survey Measures</u> may include:</p> <ul style="list-style-type: none"> • Getting Timely Care, Appointments, and Information; • How well Providers Communicate; • Patient's Rating of Provider; • Access to Specialists; • Health Promotion and Education; • Shared Decision-Making; • Health Status and Functional Status; • Courteous and Helpful Office Staff; • Care Coordination; • Between Visit Communication; • Helping You to Take Medication as Directed; and • Stewardship of Patient Resources. <p>Comments: Although CMS did not receive specific</p>	Agency for Healthcare Research & Quality

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>comments regarding inclusion of this measure for 2017, we did receive numerous comments asking CMS to count this measure as more than one measure and to look at how certain modules count towards a clinician's performance. CMS was also asked to explore the option of CAHPS being counted as an improvement activity.</p> <p>Response: CMS will implement the measure for the 2017 performance period counting all modules towards the performance of one measure in the quality component of MIPS as proposed. CMS agrees that this measure should be counted as an improvement activity. We are finalizing the following high-weighted improvement activity under the subcategory of Patient Safety and Practice Assessment: Participation in the Consumer Assessment of Healthcare Providers and Systems Survey or other supplemental questionnaire items (e.g., Cultural Competence or Health Information Technology supplemental item sets).</p> <p>Final Decision: CMS is finalizing Q #321 for the 2017 Performance Period.</p>	
!!	N/A/322	N/A	Efficiency and Cost Reduction	Registry	Efficiency	<p>Cardiac Stress Imaging Not Meeting Appropriate Use Criteria: Preoperative Evaluation in Low-Risk Surgery Patients: Percentage of stress single-photon emission computed tomography (SPECT) myocardial perfusion imaging (MPI), stress echocardiogram (ECHO), cardiac computed tomography angiography (CCTA), or cardiac magnetic resonance (CMR) performed in low risk surgery patients 18 years or older for preoperative evaluation during the 12-month reporting period.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set but the commenter requested modifications to the measure. Another commenter supported the high priority designation for this measure.</p> <p>Response: CMS thanks the commenters for their support of the measure and its designation as high priority. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #322 for the 2017 Performance Period. This measure remains a high priority and appropriate use measure.</p>	American College of Cardiology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
!!	N/A/323	N/A	Efficiency and Cost Reduction	Registry	Efficiency	<p>Cardiac Stress Imaging Not Meeting Appropriate Use Criteria: Routine Testing After Percutaneous Coronary Intervention (PCI): Percentage of all stress single-photon emission computed tomography (SPECT) myocardial perfusion imaging (MPI), stress echocardiogram (ECHO), cardiac computed tomography angiography (CCTA), and cardiovascular magnetic resonance (CMR) performed in patients aged 18 years and older routinely after percutaneous coronary intervention (PCI), with reference to timing of test after PCI and symptom status.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set but the commenter requested modifications to the measure. Another commenter supported the high priority designation for this measure.</p> <p>Response: CMS thanks the commenters for their support of the measure and its designation as high priority. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #323 for the 2017 Performance Period. This measure remains a high priority and appropriate use measure.</p>	American College of Cardiology
!!	N/A/324	N/A	Efficiency and Cost Reduction	Registry	Efficiency	<p>Cardiac Stress Imaging Not Meeting Appropriate Use Criteria: Testing in Asymptomatic, Low-Risk Patients: Percentage of all stress single-photon emission computed tomography (SPECT) myocardial perfusion imaging (MPI), stress echocardiogram (ECHO), cardiac computed tomography angiography (CCTA), and cardiovascular magnetic resonance (CMR) performed in asymptomatic, low coronary heart disease (CHD) risk patients 18 years and older for initial detection and risk assessment.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set because the commenter believes the measure may discourage clinicians from prescribing unnecessary stress imaging in asymptomatic patients.</p> <p>Response: CMS thanks the commenters for their support of the measure and agrees that this measure is intended to decrease inappropriate and overuse of cardiac stress imaging in low-risk</p>	American College of Cardiology

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						patients. Final Decision: OMSis finalizing Q #324 for the 2017 Performance Period.	
I	N/A/325	N/A	Communication and Care Coordination	Registry	Process	Adult Major Depressive Disorder (MDD): Coordination of Care of Patients with Specific Comorbid Conditions: Percentage of medical records of patients aged 18 years and older with a diagnosis of major depressive disorder (MDD) and a specific diagnosed comorbid condition (diabetes, coronary artery disease, ischemic stroke, intracranial hemorrhage, chronic kidney disease [stages 4 or 5], End Stage Renal Disease [ESRD] or congestive heart failure) being treated by another clinician with communication to the clinician treating the comorbid condition. OMSdid not receive specific comments regarding this measure. Final Decision: OMSis finalizing Q #325 for the 2017 Performance Period. This measure remains a high priority and process measure.	American Psychiatric Association
§	1525/326	N/A	Effective Clinical Care	Claims, Registry	Process	Atrial Fibrillation and Atrial Rutter: Chronic Anticoagulation Therapy: Percentage of patients aged 18 years and older with a diagnosis of nonvalvular atrial fibrillation (AF) or atrial flutter whose assessment of the specified thromboembolic risk factors indicate one or more high-risk factors or more than one moderate risk factor, as determined by CHADS ₂ risk stratification, who are prescribed warfarin OR another oral anticoagulant drug that is FDA approved for the prevention of thromboembolism. OMSdid not receive specific comments regarding this measure. Final Decision: OMSis finalizing Q #326 for the 2017 Performance Period.	American College of Cardiology
* !	N/A/327	N/A	Effective Clinical Care	Registry	Process	Pediatric Kidney Disease: Adequacy of Volume Management: Percentage of calendar months within a 12-month period during which patients aged 17 years and younger with a diagnosis of End Stage Renal Disease (ESRD) undergoing maintenance hemodialysis in an outpatient dialysis facility have an assessment of the adequacy of volume management from a nephrologist. OMSdid not receive specific comments regarding this measure. Final Decision: OMSis finalizing Q #327 for the 2017 Performance Period. OMSis also finalizing its proposal in Table G of the Appendix of the	Renal Physicians Association

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						proposed rule (81 FR28556) to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQRS as an outcome measure. However, upon further review and analysis, CMS understands this measure to be a percentage of documented assessment rather than a health outcome. Therefore, CMS believes the classification of this measure to be a process measure.	
I	1667/328	N/A	Effective Clinical Care	Registry	Intermediate Outcome	<p>Pediatric Kidney Disease: ESRD Patients Receiving Dialysis: Hemoglobin Level < 10 g/dL: Percentage of calendar months within a 12-month period during which patients aged 17 years and younger with a diagnosis of End Stage Renal Disease (ESRD) receiving hemodialysis or peritoneal dialysis have a hemoglobin level < 10 g/dL.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #328 for the 2017 Performance Period.</p>	Renal Physicians Association
I	N/A/329	N/A	Effective Clinical Care	Registry	Outcome	<p>Adult Kidney Disease: Catheter Use at Initiation of Hemodialysis: Percentage of patients aged 18 years and older with a diagnosis of End Stage Renal Disease (ESRD) who initiate maintenance hemodialysis during the measurement period, whose mode of vascular access is a catheter at the time maintenance hemodialysis is initiated.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #329 for the 2017 Performance Period.</p>	Renal Physicians Association
!!	N/A/330	N/A	Patient Safety	Registry	Outcome	<p>Adult Kidney Disease: Catheter Use for Greater Than or Equal to 90 Days: Percentage of patients aged 18 years and older with a diagnosis of End Stage Renal Disease (ESRD) receiving maintenance hemodialysis for greater than or equal to 90 days whose mode of vascular access is a catheter.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set. One commenter support its inclusion because the measure addresses patient safety criteria.</p> <p>Response: CMS agrees with the commenter that the measure addresses patient safety, especially as it relates to the population of patients with ESRD that require hemodialysis maintenance.</p> <p>Final Decision: CMS is finalizing Q #330 for the 2017 Performance Period.</p>	Renal Physicians Association

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
!!	N/A/331	N/A	Efficiency and Cost Reduction	Registry	Process	<p>Adult Sinusitis: Antibiotic Prescribed for Acute Sinusitis (Overuse): Percentage of patients, aged 18 years and older, with a diagnosis of acute sinusitis who were prescribed an antibiotic within 10 days after onset of symptoms.</p> <p>Comment: Commenter believes this measure should not be assigned as an efficiency and cost reduction as a domain but instead should be designated as resource use.</p> <p>Response: CMS would like to note that "resource use" is not an NQSD domain. Additionally, the domain efficiency and cost reduction is inclusive of resource use criteria. CMS does not agree that the domain should be reassigned.</p> <p>Final Decision: CMS is finalizing Q #331 for the 2017 Performance Period. The domain for this measure remains Efficiency and Cost Reduction.</p>	American Academy of Otolaryngology-Head and Neck Surgery
!!	N/A/332	N/A	Efficiency and Cost Reduction	Registry	Process	<p>Adult Sinusitis: Appropriate Choice of Antibiotic: Amoxicillin With or Without Clavulanate Prescribed for Patients with Acute Bacterial Sinusitis (Appropriate Use): Percentage of patients aged 18 years and older with a diagnosis of acute bacterial sinusitis that were prescribed amoxicillin, with or without clavulanate, as a first line antibiotic at the time of diagnosis.</p> <p>Comment: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set but commenter believes the measure should be substantively modified because the measure is no longer aligned with IDSA recommendations.</p> <p>Response: CMS thanks the commenters for their support of the measure. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #332 for the 2017 Performance Period.</p>	American Academy of Otolaryngology-Head and Neck Surgery
!!	N/A/333	N/A	Efficiency and Cost Reduction	Registry	Efficiency	<p>Adult Sinusitis: Computerized Tomography (CT) for Acute Sinusitis (Overuse): Percentage of patients aged 18 years and older with a diagnosis of acute sinusitis who had a computerized tomography (CT) scan of the paranasal sinuses</p>	American Academy of Otolaryngology-Head and Neck Surgery

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>ordered at the time of diagnosis or received within 28 days after date of diagnosis.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure.</p> <p>Final Decision: CMS is finalizing Q #333 for the 2017 Performance Period.</p>	
!!	N/A/334	N/A	Efficiency and Cost Reduction	Registry	Efficiency	<p>Adult Sinusitis: More than One Computerized Tomography (CT) Scan Within 90 Days for Chronic Sinusitis (Overuse): Percentage of patients aged 18 years and older with a diagnosis of chronic sinusitis who had more than one CT scan of the paranasal sinuses ordered or received within 90 days after the date of diagnosis.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set because commenter believes it may discourage inappropriate use of CT scans to diagnose acute sinusitis.</p> <p>Response: CMS thanks the commenters for their support of the measure. CMS agrees with the commenter that this measure, which is an overuse measure, is intended to decrease inappropriate use of CT scans.</p> <p>Final Decision: CMS is finalizing Q #334 for the 2017 Performance Period.</p>	American Academy of Otolaryngology-Head and Neck Surgery
!!	N/A/335	N/A	Patient Safety	Registry	Outcome	<p>Maternity Care: Elective Delivery or Early Induction Without Medical Indication at ≥ 37 and < 39 Weeks (Overuse): Percentage of patients, regardless of age, who gave birth during a 12-month period who delivered a live singleton at ≥ 37 and < 39 weeks of gestation completed who had elective deliveries or early inductions without medical indication.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #335 for the 2017 Performance Period.</p>	Centers for Medicare and Medicaid Services
!	N/A/336	N/A	Communication and Care Coordination	Registry	Process	<p>Maternity Care: Post-Partum Follow-Up and Care Coordination: Percentage of patients, regardless of age, who gave birth during a 12-month period who were seen for post-partum care within 8 weeks of giving birth who received a breast feeding evaluation and education, post-partum depression screening, post-partum glucose screening for gestational diabetes patients, and family and contraceptive planning.</p>	Centers for Medicare and Medicaid Services

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #336 for the 2017 Performance Period.</p>	
	N/A/337	N/A	Effective Clinical Care	Registry	Process	<p>Tuberculosis (TB) Prevention for Psoriasis, Psoriatic Arthritis and Rheumatoid Arthritis Patients on a Biological Immune Response Modifier: Percentage of patients whose providers are ensuring active tuberculosis prevention either through yearly negative standard tuberculosis screening tests or are reviewing the patient's history to determine if they have had appropriate management for a recent or prior positive test.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set. However the commenter requested that CMS modify the measure.</p> <p>Response: CMS thanks the commenters for their support of the measure. This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #337 for the 2017 Performance Period.</p>	American Academy of Dermatology
★ § !	2082/338	N/A	Effective Clinical Care	Registry	Outcome	<p>HIV Viral Load Suppression: The percentage of patients, regardless of age, with a diagnosis of HIV with a HIV viral load less than 200 copies/mL at last HIV viral load test during the measurement year.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure.</p> <p>Final Decision: CMS is finalizing Q #338 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28557) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized</p>	Health Resources and Services Administration

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.	
* § !	2079/340	N/A	Efficiency and Cost Reduction	Registry	Process	<p>HIV Medical Visit Frequency: Percentage of patients, regardless of age with a diagnosis of HIV who had at least one medical visit in each 6-month period of the 24 month measurement period, with a minimum of 60 days between medical visits.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set.</p> <p>Response: CMS thanks the commenters for their support of the measure.</p> <p>Final Decision: CMS is finalizing Q #340 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28557) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	Health Resources and Services Administration
!	N/A/342	N/A	Person and Caregiver-Centered Experience and Outcomes	Registry	Outcome	<p>Pain Brought Under Control Within 48 Hours: Patients aged 18 and older who report being uncomfortable because of pain at the initial assessment (after admission to palliative care services) that report pain was brought to a comfortable level within 48 hours.</p> <p>Comments: CMS received several comments supporting the inclusion of the measure but the commenters suggested modifications to the measure that would change the time metric and denominator exclusions.</p> <p>Response: Since this measure has not been tested with the substantive modifications suggested, CMS will work with the measure owner to review feasibility of commenter's recommendations and may consider the recommendations for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #342 for the 2017 Performance Period.</p>	National Hospice and Palliative Care Organization

Indicator	NQF Quality #	OMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
§	N/A/343	N/A	Effective Clinical Care	Registry	Outcome	<p>Screening Colonoscopy Adenoma Detection Rate Measure: The percentage of patients age 50 years or older with at least one conventional adenoma or colorectal cancer detected during screening colonoscopy.</p> <p>Comments: OMS received a comment supporting our decision to include this measure in the MIPS quality measure set because the commenter believes it aligns with USPSTF clinical recommendations.</p> <p>Response: OMS thanks the commenters for their support of the measure. We agree that this reflects current clinical guidelines.</p> <p>Final Decision: OMS is finalizing Q #343 for the 2017 Performance Period.</p>	American Society for Gastrointestinal Endoscopy/ American Gastroenterological Association/ American College of Gastroenterology
!	N/A/344	N/A	Effective Clinical Care	Registry	Outcome	<p>Rate of Carotid Artery Stenting (CAS) for Asymptomatic Patients, Without Major Complications (Discharged to Home by Post-Operative Day #2): Percent of asymptomatic patients undergoing CAS who are discharged to home no later than post-operative day #2.</p> <p>OMS did not receive specific comments regarding this measure.</p> <p>Final Decision: OMS is finalizing Q #344 for the 2017 Performance Period.</p>	Society for Vascular Surgeons
!	1543/345	N/A	Effective Clinical Care	Registry	Outcome	<p>Rate of Postoperative Stroke or Death in Asymptomatic Patients Undergoing Carotid Artery Stenting (CAS): Percent of asymptomatic patients undergoing CAS who experience stroke or death following surgery while in the hospital.</p> <p>OMS did not receive specific comments regarding this measure.</p> <p>Final Decision: OMS is finalizing Q #345 for the 2017 Performance Period.</p>	Society for Vascular Surgeons
!	1540/346	N/A	Effective Clinical Care	Registry	Outcome	<p>Rate of Postoperative Stroke or Death in Asymptomatic Patients Undergoing Carotid Endarterectomy (CEA): Percent of asymptomatic patients undergoing CEA who experience stroke or death following surgery while in the hospital.</p> <p>OMS did not receive specific comments regarding this measure.</p> <p>Final Decision: OMS is finalizing Q #346 for the 2017 Performance Period.</p>	Society for Vascular Surgeons
!	1534/347	N/A	Patient Safety	Registry	Outcome	<p>Rate of Endovascular Aneurysm Repair (EVAR) of Small or Moderate Non-Ruptured Infrarenal Abdominal Aortic Aneurysms (AAA) Who Die While in Hospital: Percent of patients undergoing</p>	Society for Vascular Surgeons

Indicator	NOF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>endovascular repair of small or moderate infrarenal abdominal aortic aneurysms (AAA) who die while in the hospital.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #347 for the 2017 Performance Period.</p>	
!	N/A/348	N/A	Patient Safety	Registry	Outcome	<p>HFS3: Implantable Cardioverter-Defibrillator (ICD) Complications Rate: Patients with physician-specific risk-standardized rates of procedural complications following the first time implantation of an ICD.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #348 for the 2017 Performance Period.</p>	The Heart Rhythm Society
* !	N/A/350	N/A	Communication and Care Coordination	Registry	Process	<p>Total Knee Replacement: Shared Decision-Making: Trial of Conservative (Non-surgical) Therapy: Percentage of patients regardless of age undergoing a total knee replacement with documented shared decision-making with discussion of conservative (non-surgical) therapy (e.g. non-steroidal anti-inflammatory drugs (NSAIDs), analgesics, weight loss, exercise, injections) prior to the procedure.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #350 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28558) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. In response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure. Additionally, CMS is finalizing its proposal to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQFS as an outcome measure. However, upon further review and analysis, CMS believes the classification of this measure to be a process measure in order to match the clinical action of shared decision-making.</p>	American Association of Hip and Knee Surgeons

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
* !	N/A/351	N/A	Patient Safety	Registry	Process	<p>Total Knee Replacement: Venous Thromboembolic and Cardiovascular Risk Evaluation: Percentage of patients regardless of age undergoing a total knee replacement who are evaluated for the presence or absence of venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure (e.g. history of Deep Vein Thrombosis (DVT), Pulmonary Embolism (PE), Myocardial Infarction (MI), Arrhythmia and Stroke).</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: CMSis finalizing Q #351 for the 2017 Performance Period. CMSis finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR28559) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. In response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure. Additionally, CMSis finalizing its proposal to change this measure type designation from outcome measure to process measure. This measure was previously finalized in POFs as an outcome measure. However, upon further review and analysis, CMS believes the classification of this measure to be a process measure.</p>	American Association of Hip and Knee Surgeons
* !	N/A/352	N/A	Patient Safety	Registry	Process	<p>Total Knee Replacement: Preoperative Antibiotic Infusion with Proximal Tourniquet: Percentage of patients regardless of age undergoing a total knee replacement who had the prophylactic antibiotic completely infused prior to the inflation of the proximal tourniquet</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: CMSis finalizing Q #352 for the 2017 Performance Period. CMSis finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR28559) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. In response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a</p>	American Association of Hip and Knee Surgeons

Indicator	NQF Quality #	CMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Steward
						clinical performance gap even if it is reported as an individual measure. Additionally, CMS is finalizing its proposal to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQRS as an outcome measure. However, upon further review and analysis, CMS believes the classification of this measure to be a process measure.	
* !	N/A/353	N/A	Patient Safety	Registry	Process	<p>Total Knee Replacement: Identification of Implanted Prosthesis in Operative Report: Percentage of patients regardless of age undergoing a total knee replacement whose operative report identifies the prosthetic implant specifications including the prosthetic implant manufacturer, the brand name of the prosthetic implant and the size of each prosthetic implant.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #353 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28560) to change the data submission method for this measure from Measures Group only to Registry only. As part of a measures group, this measure was part of a metric that provided relevant content for a specific condition. In response to the finalized MIPS policy to no longer include Measures Group as a data submission method, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure. Additionally, CMS is finalizing its proposal to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQRS as an outcome measure. However, upon further review and analysis, CMS believes the classification of this measure to be a process measure.</p>	American Association of Hip and Knee Surgeons
* !	N/A/354	N/A	Patient Safety	Registry	Outcome	<p>Anastomotic Leak Intervention: Percentage of patients aged 18 years and older who required an anastomotic leak intervention following gastric bypass or colectomy surgery.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #354 for the 2017 Performance Period. This measure remains an outcome measure. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28560) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry</p>	American College of Surgeons

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.	
* !	N/A/355	N/A	Patient Safety	Registry	Outcome	<p>Unplanned Reoperation within the 30 Day Postoperative Period: Percentage of patients aged 18 years and older who had any unplanned reoperation within the 30 day postoperative period.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #355 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28561) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American College of Surgeons
* !	N/A/356	N/A	Effective Clinical Care	Registry	Outcome	<p>Unplanned Hospital Readmission within 30 Days of Principal Procedure: Percentage of patients aged 18 years and older who had an unplanned hospital readmission within 30 days of principal procedure.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #356 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28561) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American College of Surgeons

Indicator	NQF Quality #	OASIS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
* !	N/A/357	N/A	Effective Clinical Care	Registry	Outcome	<p>Surgical Site Infection (SSI): Percentage of patients aged 18 years and older who had a surgical site infection (SSI).</p> <p>Comments: A commenter requested this measure be added to several specialty measure sets.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: OMS is finalizing Q #357 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28562) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American College of Surgeons
!	N/A/358	N/A	Person and Caregiver-Centered Experience and Outcomes	Registry	Process	<p>Patient-Centered Surgical Risk Assessment and Communication: Percentage of patients who underwent a non-emergency surgery who had their personalized risks of postoperative complications assessed by their surgical team prior to surgery using a clinical data-based, patient-specific risk calculator and who received personal discussion of those risks with the surgeon.</p> <p>OMS did not receive specific comments regarding this measure.</p> <p>Final Decision: OMS is finalizing Q #358 for the 2017 Performance Period.</p>	American College of Surgeons
* !	N/A/359	N/A	Communication and Care Coordination	Registry	Process	<p>Optimizing Patient Exposure to Ionizing Radiation: Utilization of a Standardized Nomenclature for Computed Tomography (CT) Imaging Description: Percentage of computed tomography (CT) imaging reports for all patients, regardless of age, with the imaging study named according to a standardized nomenclature and the standardized nomenclature is used in institution's computer systems.</p> <p>OMS did not receive specific comments regarding this measure.</p> <p>Final Decision: OMS is finalizing Q #359 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28562) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of</p>	American College of Radiology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.	
* !!	N/A/360	N/A	Patient Safety	Registry	Process	<p>Optimizing Patient Exposure to Ionizing Radiation: Count of Potential High Dose Radiation Imaging Studies: Computed Tomography (CT) and Cardiac Nuclear Medicine Studies: Percentage of computed tomography (CT) and cardiac nuclear medicine (myocardial perfusion studies) imaging reports for all patients, regardless of age, that document a count of known previous CT (any type of CT) and cardiac nuclear medicine (myocardial perfusion) studies that the patient has received in the 12-month period prior to the current study.</p> <p>Comments: A commenter requested this measure be removed from a specialty measure set. Several commenters supported the inclusion of the measure in the MIPS quality measure set. One commenter also supported the designation of "high priority" for this measure.</p> <p>Response: We will address all specialty set comments in Table E of the appendix. CMS thanks the commenters for their support of the measure and its designation of high priority for 2017 MIPS.</p> <p>Final Decision: CMS is finalizing Q #360 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28563) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American College of Radiology
* !	N/A/361	N/A	Patient Safety	Registry	Structure	<p>Optimizing Patient Exposure to Ionizing Radiation: Reporting to a Radiation Dose Index Registry: Percentage of total computed tomography (CT) studies performed for all patients, regardless of age, that are reported to a radiation dose index registry that is capable of collecting at a minimum selected data elements.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set.</p>	American College of Radiology

Indicator	NQF Quality #	CMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						<p>Response: CMS thanks the commenters for their support of the measure.</p> <p>Final Decision: CMS is finalizing Q #361 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28563) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	
* !	N/A/362	N/A	Communication and Care Coordination	Registry	Structure	<p>Optimizing Patient Exposure to Ionizing Radiation: Computed Tomography (CT) Images Available for Patient Follow-up and Comparison Purposes: Percentage of final reports for computed tomography (CT) studies performed for all patients, regardless of age, which document that Digital Imaging and Communications in Medicine (DICOM) format image data are available to non-affiliated external healthcare facilities or entities on a secure, media free, reciprocally searchable basis with patient authorization for at least a 12-month period after the study.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #362 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28564) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. CMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American College of Radiology
* !	N/A/363	N/A	Communication and Care Coordination	Registry	Structure	<p>Optimizing Patient Exposure to Ionizing Radiation: Search for Prior Computed Tomography (CT) Studies Through a Secure, Authorized, Media-Free, Shared Archive: Percentage of final reports of computed tomography (CT) studies performed for all patients, regardless of age, which document that a search for Digital Imaging and Communications in Medicine (DICOM) format images was conducted</p>	American College of Radiology

Indicator	NQF Quality #	QMS E-Measure ID	National Quality Strategy/ Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>for prior patient CT imaging studies completed at non-affiliated external healthcare facilities or entities within the past 12-months and are available through a secure, authorized, media free, shared archive prior to an imaging study being performed.</p> <p>QMS did not receive specific comments regarding this measure.</p> <p>Final Decision: QMS is finalizing Q #363 for the 2017 Performance Period. QMS proposed in Table G of the Appendix of the proposed rule (81 FR 28565) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. QMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure</p>	
* !!	N/A/364	N/A	Communication and Care Coordination	Registry	Process	<p>Optimizing Patient Exposure to Ionizing Radiation: Appropriateness: Follow-up CT Imaging for Incidentally Detected Pulmonary Nodules According to Recommended Guidelines: Percentage of final reports for computed tomography (CT) imaging studies of the thorax for patients aged 18 years and older with documented follow-up recommendations for incidentally detected pulmonary nodules (e.g., follow-up CT imaging studies needed or that no follow-up is needed) based at a minimum on nodule size AND patient risk factors</p> <p>QMS did not receive specific comments regarding this measure.</p> <p>Final Decision: QMS is finalizing Q #364 for the 2017 Performance Period. QMS proposed in Table G of the Appendix of the proposed rule (81 FR 28565) and is finalizing a change to the data submission method for this measure from Measures Group only to Registry only. As part of a Measures Group, this measure was part of a metric that provided relevant content for a specific condition. Since MIPS does not include Measures Groups, this measure is being finalized as an individual measure. QMS believes this measure continues to address a clinical performance gap even if it is reported as an individual measure.</p>	American College of Radiology
	0108/366	136 v6	Effective Clinical Care	EHR	Process	<p>ADHD: Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication: Percentage of children 6-12 years of age and newly dispensed a medication for</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						<p>attention-deficit/hyperactivity disorder (ADHD) who had appropriate follow-up care. Two rates are reported.</p> <p>a. Percentage of children who had one follow-up visit with a practitioner with prescribing authority during the 30-Day Initiation Phase.</p> <p>b. Percentage of children who remained on ADHD medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two additional follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended.</p> <p>Comment: A commenter requested this measure be removed from a specialty measure set.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #366 for the 2017 Performance Period.</p>	
	N/A/367	169 v5	Effective Clinical Care	EHR	Process	<p>Bipolar Disorder and Major Depression: Appraisal for Alcohol or Chemical Substance Use: Percentage of patients with depression or bipolar disorder with evidence of an initial assessment that includes an appraisal for alcohol or chemical substance use.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set. Commenter cited evidence that this measure aligns with clinical recommendations of the American Psychiatric Association.</p> <p>Response: CMS appreciates the commenter's support for the inclusion of this measure. CMS agrees with the commenter and further thinks this measure adds value to the MIPS quality measure set.</p> <p>Final Decision: CMS is finalizing Q #367 for the 2017 Performance Period.</p>	Centers for Medicare & Medicaid Services
	N/A/369	158 v5	Effective Clinical Care	EHR	Process	<p>Pregnant Women that had HBsAg Testing: This measure identifies pregnant women who had a HBsAg (hepatitis B) test during their pregnancy.</p> <p>Comment: A commenter stated that this measure is no longer being maintained by the measure steward via the EHR. Other commenters supported the inclusion of the measure in the MIPS quality measure set.</p> <p>Response: CMS contacted the measure steward for this measure and confirmed that this measure continues to be maintained by the measure steward via the EHR submission mechanism.</p>	Optum

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						Final Decision: OMS is finalizing Q #369 for the 2017 Performance Period.	
§ 1	0710/370	159 v5	Effective Clinical Care	Web Interface, Registry, BHR	Outcome	<p>Depression Remission at Twelve Months: Patients age 18 and older with major depression or dysthymia and an initial Patient Health Questionnaire (PHQ-9) score greater than nine who demonstrate remission at twelve months (+/- 30 days after an index visit) defined as a PHQ-9 score less than five. This measure applies to both patients with newly diagnosed and existing depression whose current PHQ-9 score indicates a need for treatment.</p> <p>Comments: OMS received a comment recommending that we remove the measure from the program because the commenter does not believe the measure aligns with clinical care of psychiatry. In contrast, we received other comments supporting the inclusion of the measure and requesting that the measure be included in the behavioral and family medicine specialty measure sets.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: OMS is finalizing Q #370 for the 2017 Performance Period. OMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28566) to revise the measure description to provide clarity for reporting. This does not change the intent of the measure but merely provides clarity to ensure consistent reporting for eligible clinicians. Additionally, OMS is finalizing its proposal to change this measure type designation from intermediate outcome measure to outcome measure. This measure was previously finalized in POFs as an intermediate outcome measure. However, upon further review and analysis, OMS believes the classification of this measure to be an outcome measure in order to match the outcome of depression remission. Finally, we are adding the measure to the behavioral and family medicine specialty measure sets.</p>	Minnesota Community Measurement
	0712/371	160 v5	Effective Clinical Care	BHR	Process	<p>Depression Utilization of the PHQ-9 Tool: Patients age 18 and older with the diagnosis of major depression or dysthymia who have a Patient Health Questionnaire (PHQ-9) tool administered at least once during a 4-month period in which there was a qualifying visit.</p> <p>Comment: OMS received a comment requesting the inclusion of this measure in the behavioral specialty measure set. Commenter also recommends this measure be removed because the commenter believes NQF # 0418 and #105 are</p>	Minnesota Community Measurement

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						<p>more relevant metrics for depression.</p> <p>Response: CMS disagrees with commenter that this measure is not relevant to depression assessment. PHQ-9 is a valuable tool in depression assessment and should be used as the preferable tool for depression. CMS believes this measure is relevant for the MIPS quality measure set and should not be removed for the 2017 performance period. CMS may consider removal of this measure in future rulemaking. Furthermore, NQF #105 will also be included in the MIPS quality measure set, therefore, CMS recommends providers report the more appropriate measure. We also note that we will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #371 for the 2017 Performance Period.</p>	
	N/A/372	82v4	Community/Population Health	HR	Process	<p>Maternal Depression Screening: The percentage of children who turned 6 months of age during the measurement year, who had a face-to-face visit between the clinician and the child during child's first 6 months, and who had a maternal depression screening for the mother at least once between 0 and 6 months of life.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #372 for the 2017 Performance Period.</p>	National Committee for Quality Assurance
!	N/A/373	65v6	Effective Clinical Care	HR	Intermediate Outcome	<p>Hypertension: Improvement in Blood Pressure: Percentage of patients aged 18-85 years of age with a diagnosis of hypertension whose blood pressure improved during the measurement period.</p> <p>Comment: CMS received a comment that did not support the inclusion of this measure in the MIPS for 2017. In contrast, another commenter supported the measure inclusion of the measure but asked that the measure be modified.</p> <p>Request: CMS thanks the commenter for their support of the measure. We would also note that suggestions for the revision of the measure have been shared with our technical expert panel for further review. If our technical expert panel recommends the revision, CMS will test the revised measure and make it available for public comment according to the Measure Management System Blueprint. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking once this process is complete.</p>	Centers for Medicare & Medicaid Services

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						Final Decision: CMS is finalizing Q #373 for the 2017 Performance Period.	
!	N/A/374	50v5	Communication and Care Coordination	BHR	Process	<p>Closing the Referral Loop: Receipt of Specialist Report: Percentage of patients with referrals, regardless of age, for which the referring provider receives a report from the provider to whom the patient was referred.</p> <p>Comments: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set with specific modifications for the measure.</p> <p>Response: CMS thanks the commenters for their support of the measure. We would also note that suggestions for the revision of the measure have been shared with our technical expert panel for further review. If our technical expert panel recommends the revision, CMS will test the revised measure and make it available for public comment according to the Measure Management System Blueprint. CMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking once this process is complete.</p> <p>Final Decision: CMS is finalizing Q #374 for the 2017 Performance Period.</p>	Centers for Medicare & Medicaid Services
★ !	N/A/375	66v5	Person and Caregiver-Centered Experience and Outcomes	BHR	Process	<p>Functional Status Assessment for Total Knee Replacement: Percentage of patients 18 years of age and older with primary total knee arthroplasty (TKA) who completed baseline and follow-up patient-reported functional status assessments.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #375 for the 2017 Performance Period. CMS proposed in Table G of the Appendix of the proposed rule (81 FR 28566) and is finalizing a revision to the title and description of the measure to align with the intent of the measure. This does not change the intent of the measure but merely provides clarity to ensure consistent reporting for eligible clinicians.</p>	Centers for Medicare & Medicaid Services
★ !	N/A/376	56v5	Person and Caregiver-Centered Experience and Outcomes	BHR	Process	<p>Functional Status Assessment for Total Hip Replacement: Percentage of patients 18 years of age and older with primary total hip arthroplasty (THA) who completed baseline and follow-up (patient-reported) functional status assessments.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #376 for the 2017 Performance Period. CMS is finalizing its</p>	Centers for Medicare & Medicaid Services

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						proposal in Table G of the Appendix of the proposed rule (81 FR28567) to revise the title and description of the measure to align with the intent of the measure. This change does not change the intent of the measure but merely provides clarity to ensure consistent reporting for eligible clinicians.	
* !	N/A/377	90v 6	Person and Caregiver-Centered Experience and Outcomes	EHR	Process	<p>Functional Status Assessments for Patients with Congestive Heart Failure: Percentage of patients 65 years of age and older with congestive heart failure who completed initial and follow-up patient-reported functional status assessments.</p> <p>Comments: CMS received a comment noting that this measure is based on outdated evidence and should not be included in the program. Commenter also said that the measure is burdensome for clinicians to document functional status based on administration of an assigned assessment instrument.</p> <p>Response: Since there is a need for further research and because there is not enough evidence to determine best practices for implementing and interpreting patient-reported health assessments in clinical practice, CMS will implement the measure as proposed.</p> <p>Final Decision: CMS is finalizing Q #377 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR28567) to revise the title and description of the measure to add clarity in response to clinician feedback. This does not change the intent of the measure but merely provides clarity to ensure consistent reporting for eligible clinicians.</p>	Centers for Medicare & Medicaid Services
!	N/A/378	75v 5	Community/Population Health	EHR	Outcome	<p>Children Who Have Dental Decay or Cavities: Percentage of children, age 0-20 years, who have had tooth decay or cavities during the measurement period.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #378 for the 2017 Performance Period.</p>	Centers for Medicare & Medicaid Services
	N/A/379	74v 6	Effective Clinical Care	EHR	Process	<p>Primary Caries Prevention Intervention as Offered by Primary Care Providers, including Dentists: Percentage of children, age 0-20 years, who received a fluoride varnish application during the measurement period.</p> <p>Comments: A commenter requested this measure be added to a specialty measure set. In particular, the commenter asked that the CMS pediatric core measure set align with CHIPPA core set.</p>	Centers for Medicare & Medicaid Services

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>Response: We will address all specialty set comments in Table E of the appendix. However, regarding the specific request of the CHIPRA core measures, CMS has aligned its pediatric core measure set with the CHIPRA core set where practicable.</p> <p>Final Decision: CMS is finalizing Q #379 for the 2017 Performance Period.</p>	
!	1365/382	177 v5	Patient Safety	BHR	Process	<p>Child and Adolescent Major Depressive Disorder (MDD): Suicide Risk Assessment: Percentage of patient visits for those patients aged 6 through 17 years with a diagnosis of major depressive disorder with an assessment for suicide risk.</p> <p>Comment: A commenter requested this measure be removed from a specialty measure set.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: CMS is finalizing Q #382 for the 2017 Performance Period.</p>	Physician Consortium for Performance Improvement Foundation (PCPIF)
!	1879/383	N/A	Patient Safety	Registry	Intermediate Outcome	<p>Adherence to Antipsychotic Medications for Individuals with Schizophrenia: Percentage of individuals at least 18 years of age as of the beginning of the measurement period with schizophrenia or schizoaffective disorder who had at least two prescriptions filled for any antipsychotic medication and who had a Proportion of Days Covered (PDC) of at least 0.8 for antipsychotic medications during the measurement period (12 consecutive months).</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #383 for the 2017 Performance Period.</p>	National Committee for Quality Assurance
!	N/A/384	N/A	Effective Clinical Care	Registry	Outcome	<p>Adult Primary Rhegmatogenous Retinal Detachment Surgery: No Return to the Operating Room Within 90 Days of Surgery: Patients aged 18 years and older who had surgery for primary rhegmatogenous retinal detachment who did not require a return to the operating room within 90 days of surgery.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #384 for the 2017 Performance Period.</p>	American Academy of Ophthalmology

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
1	N/A/385	N/A	Effective Clinical Care	Registry	Outcome	<p>Adult Primary Rhegmatogenous Retinal Detachment Surgery: Visual Acuity Improvement Within 90 Days of Surgery: Patients aged 18 years and older who had surgery for primary rhegmatogenous retinal detachment and achieved an improvement in their visual acuity, from their preoperative level, within 90 days of surgery in the operative eye.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #385 for the 2017 Performance Period.</p>	American Academy of Ophthalmology
1	N/A/386	N/A	Person and Caregiver-Centered Experience and Outcomes	Registry	Process	<p>Amyotrophic Lateral Sclerosis (ALS) Patient Care Preferences: Percentage of patients diagnosed with Amyotrophic Lateral Sclerosis (ALS) who were offered assistance in planning for end of life issues (e.g. advance directives, invasive ventilation, hospice) at least once annually.</p> <p>Comment: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set. One commenter stated that this measure should target neurologists and yet another commenter stated that this measure may not be appropriate for general neurologists.</p> <p>Response: This measure is already included in the neurology specialty measure set which makes it available for neurologists to report. This measure is also stewarded by the specialists targeted by the measure.</p> <p>Final Decision: CMS is finalizing Q #386 for the 2017 Performance Period.</p>	American Academy of Neurology
	N/A/387	N/A	Effective Clinical Care	Registry	Process	<p>Annual Hepatitis C Virus (HCV) Screening for Patients who are Active Injection Drug Users: Percentage of patients regardless of age who are active injection drug users who received screening for HCV infection within the 12 month reporting period.</p> <p>Comment: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set. One commenter supports the inclusion because it aligns with AASLD and IDSA recommendations for testing, managing and treating hepatitis C.</p> <p>Response: CMS thanks the commenters for their support of the measure. CMS believes this is a very important measure that appropriately addresses a high priority issue such as HCV screening and drug use.</p> <p>Final Decision: CMS is finalizing Q #387 for the 2017 Performance Period.</p>	Physician Consortium for Performance Improvement Foundation (PCPIF)

Indicator	NQF Quality #	QMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
!	N/A/388	N/A	Patient Safety	Registry	Outcome	<p>Cataract Surgery with Intra-Operative Complications (Unplanned Rupture of Posterior Capsule Requiring Unplanned Vitrectomy): Percentage of patients aged 18 years and older who had cataract surgery performed and had an unplanned rupture of the posterior capsule requiring vitrectomy.</p> <p>Comment: QMS received a comment asking that we do not remove this measure from the MIPS measure set but instead they support including this measure.</p> <p>Response: QMS would like to clarify that this measure was not proposed for removal. It was, instead proposed for inclusion. Furthermore, we appreciate the commenter's support for the inclusion of the measure.</p> <p>Final Decision: QMS is finalizing Q #388 for the 2017 Performance Period.</p>	American Academy of Ophthalmology
!	N/A/389	N/A	Effective Clinical Care	Registry	Outcome	<p>Cataract Surgery: Difference Between Planned and Final Refraction: Percentage of patients aged 18 years and older who had cataract surgery performed and who achieved a final refraction within +/- 0.5 diopters of their planned (target) refraction.</p> <p>Comment: QMS received a comment asking that we do not remove this measure from the MIPS measure set but instead they support including this measure.</p> <p>Response: QMS would like to clarify that this measure was not proposed for removal. It was, instead proposed for inclusion. Furthermore, we appreciate the commenter's support for the inclusion of the measure.</p> <p>Final Decision: QMS is finalizing Q #389 for the 2017 Performance Period.</p>	American Academy of Ophthalmology
!	N/A/390	N/A	Person and Caregiver-Centered Experience and Outcomes	Registry	Process	<p>Hepatitis C: Discussion and Shared Decision Making Surrounding Treatment Options: Percentage of patients aged 18 years and older with a diagnosis of hepatitis C with whom a physician or other qualified healthcare professional reviewed the range of treatment options appropriate to their genotype and demonstrated a shared decision making approach with the patient. To meet the measure, there must be documentation in the patient record of a discussion between the physician or other qualified healthcare professional and the patient that includes all of the following: treatment</p>	American Gastroenterological Association/ American Society for Gastrointestinal Endoscopy/ American College of Gastroenterology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						<p>choices appropriate to genotype, risks and benefits, evidence of effectiveness, and patient preferences toward treatment.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set. One commenter requested the measure be modified. Another commenter supports the measure because they believe that it encourages shared decision-making.</p> <p>Response: CMS appreciates the commenters that supported the inclusion of the measure in the MIPS quality measure set for 2017. CMS agrees with the commenter that this measure encourages shared-decision making regarding treatment options for HepC. CMS would also like to note this measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #390 for the 2017 Performance Period.</p>	
!	0576/391	N/A	Communication and Care Coordination	Registry	Process	<p>Follow-Up After Hospitalization for Mental Illness (FUH): The percentage of discharges for patients 6 years of age and older who were hospitalized for treatment of selected mental illness diagnoses and who had an outpatient visit, an intensive outpatient encounter or partial hospitalization with a mental health practitioner. Two rates are reported:</p> <ul style="list-style-type: none"> - The percentage of discharges for which the patient received follow-up within 30 days of discharge - The percentage of discharges for which the patient received follow-up within 7 days of discharge. <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #391 for the 2017 Performance Period.</p>	National Committee for Quality Assurance
!	2474/392	N/A	Patient Safety	Registry	Outcome	<p>HFS-12: Cardiac Tamponade and/or Pericardiocentesis Following Atrial Fibrillation Ablation: Rate of cardiac tamponade and/or pericardiocentesis following atrial fibrillation ablation</p> <p>This measure is reported as four rates stratified by age and gender:</p>	The Heart Rhythm Society

Indicator	NQF Quality #	QMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<ul style="list-style-type: none"> • Reporting Age Criteria 1 Females 18-64 years of age • Reporting Age Criteria 2 Males 18-64 years of age • Reporting Age Criteria 3 Females 65 years of age and older • Reporting Age Criteria 4 Males 65 years of age and older <p>QMS did not receive specific comments regarding this measure.</p> <p>Final Decision: QMS is finalizing Q #392 for the 2017 Performance Period.</p>	
!	N/A/393	N/A	Patient Safety	Registry	Outcome	<p>HRS-9: Infection within 180 Days of Cardiac Implantable Electronic Device (CIED) Implantation, Replacement, or Revision: Infection rate following CIED device implantation, replacement, or revision.</p> <p>QMS did not receive specific comments regarding this measure.</p> <p>Final Decision: QMS is finalizing Q #393 for the 2017 Performance Period.</p>	The Heart Rhythm Society
	1407/394	N/A	Community/Population Health	Registry	Process	<p>Immunizations for Adolescents: The percentage of adolescents 13 years of age who had the recommended immunizations by their 13th birthday.</p> <p>Comments: QMS received a comment supporting our decision to include this measure in the MIPS quality measure set. A commenter also supported the inclusion of this measure in a specialty measure set.</p> <p>Response: We will address all specialty set comments in Table E of the appendix.</p> <p>Final Decision: QMS is finalizing Q #394 for the 2017 Performance Period.</p>	National Committee for Quality Assurance
!	N/A/395	N/A	Communication and Care Coordination	Claims, Registry	Outcome	<p>Lung Cancer Reporting (Biopsy/Cytology Specimens): Pathology reports based on biopsy and/or cytology specimens with a diagnosis of primary non-small cell lung cancer classified into specific histologic type or classified as NSCLC-NOS with an explanation included in the pathology report.</p> <p>Comments: QMS received comments requesting that this measure be categorized as an outcome measure rather than a process measure.</p> <p>Response: QMS reviewed details of the measure and QMS agrees with commenter's assessment. Therefore, QMS is finalizing this measure as an outcome measure.</p>	College of American Pathologists

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						Final Decision: CMS is finalizing Q #395 for the 2017 Performance Period.	
!	N/A/396	N/A	Communication and Care Coordination	Claims, Registry	Outcome	<p>Lung Cancer Reporting (Resection Specimens): Pathology reports based on resection specimens with a diagnosis of primary lung carcinoma that include the pT category, pN category and for non-small cell lung cancer, histologic type.</p> <p>Comments: CMS received comments requesting that this measure be categorized as an outcome measure rather than a process measure.</p> <p>Response: CMS reviewed details of the measure and CMS agrees with the commenter's assessment. Therefore, CMS is finalizing this measure as an outcome measure.</p> <p>Final Decision: CMS is finalizing Q #396 for the 2017 Performance Period.</p>	College of American Pathologists
!	N/A/397	N/A	Communication and Care Coordination	Claims, Registry	Outcome	<p>Melanoma Reporting: Pathology reports for primary malignant cutaneous melanoma that include the pT category and a statement on thickness and ulceration and for pT1, mitotic rate.</p> <p>Comments: CMS received comments requesting that this measure be categorized as an outcome measure rather than a process measure.</p> <p>Response: CMS reviewed details of the measure and CMS agrees with commenter's assessment. Therefore, CMS is finalizing this measure as an outcome measure.</p> <p>Final Decision: CMS is finalizing Q #397 for the 2017 Performance Period.</p>	College of American Pathologists
!	N/A/398	N/A	Effective Clinical Care	Registry	Outcome	<p>Optimal Asthma Control: Composite measure of the percentage of pediatric and adult patients whose asthma is well-controlled as demonstrated by one of three age appropriate patient reported outcome tools</p> <p>Comment: We received several comments that did not support inclusion of this measure. One commenter noted that the measure is not appropriately risk-adjusted and needs to be revised for SES in asthma patients. Another commenter requested removal saying this measure would penalize physicians in high-risk areas. Finally, a commenter noted a discrepancy with this measure in other tables in the appendix of the proposed rule.</p> <p>Response: CMS recognizes that risk-adjustment is important and agrees that the measure should be reviewed further for the feasibility of making this modification. However, this measure is not</p>	Minnesota Community Measurement

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>owned by OMSand, therefore, cannot be modified without coordinating with the measure owner. OMSwill share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. OMSwill finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking. OMSalso appreciates the commenter finding the discrepancy in the measure type, OMShas revised all tables within the appendix of this final rule with comment and corrected the measure type to be outcome measure.</p> <p>Final Decision: OMSis finalizing Q #398 for the 2017 Performance Period. This measure remains an outcome measure.</p>	
§	N/A/400	N/A	Effective Clinical Care	Registry	Process	<p>One-Time Screening for Hepatitis C Virus (HCV) for Patients at Risk: Percentage of patients aged 18 years and older with one or more of the following: a history of injection drug use, receipt of a blood transfusion prior to 1992, receiving maintenance hemodialysis OR birthdate in the years 1945-1965 who received one-time screening for hepatitis C virus (HCV) infection.</p> <p>OMSdid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #400 for the 2017 Performance Period.</p>	Physician Consortium for Performance Improvement Foundation (PCPIF)
§	N/A/401	N/A	Effective Clinical Care	Registry	Process	<p>Hepatitis C: Screening for Hepatocellular Carcinoma (HCC) in Patients with Cirrhosis: Percentage of patients aged 18 years and older with a diagnosis of chronic hepatitis C cirrhosis who underwent imaging with either ultrasound, contrast enhanced CT or MRI for hepatocellular carcinoma (HCC) at least once within the 12 month reporting period.</p> <p>OMSdid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #401 for the 2017 Performance Period.</p>	American Gastroenterological Association/ American Society for Gastrointestinal Endoscopy/ American College of Gastroenterology
	N/A/402	N/A	Community/ Population Health	Registry	Process	<p>Tobacco Use and Help with Quitting Among Adolescents: The percentage of adolescents 12 to 20 years of age with a primary care visit during the measurement year for whom tobacco use status was documented and received help with quitting if identified as a tobacco user.</p> <p>OMSdid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #402 for the</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						2017 Performance Period.	
1	N/A/403†	N/A	Person and Caregiver-Centered Experience and Outcomes	Registry	Process	<p>Adult Kidney Disease: Referral to Hospice: Percentage of patients aged 18 years and older with a diagnosis of end-stage renal disease (ESRD) who withdraw from hemodialysis or peritoneal dialysis who are referred to hospice care.</p> <p>Comment: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set. Commenter requests that CMS substantively modify the measure.</p> <p>Response: This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #403 for the 2017 Performance Period.</p>	Renal Physicians Association
1	N/A/404†	N/A	Effective Clinical Care	Registry	Intermediate Outcome	<p>Anesthesiology Smoking Abstinence: The percentage of current smokers who abstain from cigarettes prior to anesthesia on the day of elective surgery or procedure.</p> <p>Comments: CMS received a comment requesting modifications to the measure.</p> <p>Response: This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #404 for the 2017 Performance Period.</p>	American Society of Anesthesiologists
	N/A/405†	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Appropriate Follow-up Imaging for Incidental Abdominal Lesions: Percentage of final reports for abdominal imaging studies for asymptomatic patients aged 18 years and older with one or more of the following noted incidentally with follow-up imaging recommended:</p> <ul style="list-style-type: none"> • Liver lesion ≤ 0.5 cm • Cystic kidney lesion ≤ 1.0 cm • Adrenal lesion ≤ 1.0 cm 	American College of Radiology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>Comment: CMS received a comment that stated this measure is very similar to Q #406 but is not indicated as appropriate use. The commenter believes the two measures (Q #405 and Q #406) should be consistent in categorization where both are appropriate use.</p> <p>Response: After reviewing measure Q #405 and comparing the two measures, CMS agrees with the commenter that the measures should be designated as an appropriate use measure.</p> <p>Final Decision: CMS is finalizing Q #405 for the 2017 Performance Period. This measure is an appropriate use measure.</p>	
!!	N/A/406 ‡	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Appropriate Follow-up Imaging for Incidental Thyroid Nodules in Patients: Percentage of final reports for computed tomography (CT) magnetic resonance imaging (MRI) or magnetic resonance angiogram (MRA) studies of the chest or neck or ultrasound of the neck for patients aged 18 years and older with no known thyroid disease with a thyroid nodule < 1.0 cm noted incidentally with follow-up imaging recommended.</p> <p>Comment: CMS received a comment that stated this measure is very similar to #405 but the two measures are not consistent in their designation of appropriate use. The commenter believes the two measures (#405 and #406) should be consistent where both are appropriate use.</p> <p>Response: After reviewing measure #405 and comparing the two measures, CMS agrees with commenter that the measures should be consistent and they should be designated as appropriate use.</p> <p>Final Decision: CMS is finalizing Q #406 for the 2017 Performance Period. This measure remains an appropriate use measure.</p>	American College of Radiology
!!	N/A/407 ‡	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Appropriate Treatment of MSSA Bacteremia: Percentage of patients with sepsis due to MSSA bacteremia who received beta-lactam antibiotic (e.g. nafcillin, oxacillin or cefazolin) as definitive therapy.</p> <p>Comments: CMS received several comments supporting our decision to include this measure in the MIPS quality measure set. One commenter requested modifications to the measure. While another commenter supported the measure because the commenter believes it prevents vancomycin overuse and encourages effective care.</p> <p>Response: CMS thanks the commenters for their</p>	Infectious Disease Society of America

Indicator	NQF Quality #	QMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						<p>support of this measure. QMS would also note that this measure is not owned by QMS and, therefore, cannot be modified without coordinating with the measure owner. QMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. QMS will finalize the measure in 2017 without the recommended changes and may consider these changes for future rulemaking. QMS especially appreciates the commenter's agreement that the measure encourages effective care and prevents overuse. QMS agrees with the commenter's belief.</p> <p>Final Decision: QMS is finalizing Q #407 for the 2017 Performance Period.</p>	
	N/A/408†	N/A	Effective Clinical Care	Registry	Process	<p>Opioid Therapy Follow-up Evaluation: All patients 18 and older prescribed opiates for longer than six weeks duration who had a follow-up evaluation conducted at least every three months during Opioid Therapy documented in the medical record.</p> <p>Comment: QMS received several comments supporting the inclusion of the measure in the MIPS quality measure set for the 2017 performance period. One commenter especially noted that this measure aligns with CDC recommendations.</p> <p>Response: QMS thanks the commenters for their support of the measure. It is our intent that we align with up-to-date clinical and policy recommendations. As recommendations change, QMS will be responsive as much as practicable.</p> <p>Final Decision: QMS is finalizing Q #408 for the 2017 Performance Period.</p>	American Academy of Neurology
!	N/A/409†	N/A	Effective Clinical Care	Registry	Outcome	<p>Clinical Outcome Post Endovascular Stroke Treatment: Percentage of patients with a mRS score of 0 to 2 at 90 days following endovascular stroke intervention.</p> <p>QMS did not receive specific comments regarding this measure.</p> <p>Final Decision: QMS is finalizing Q #409 for the 2017 Performance Period.</p>	Society of Interventional Radiology
!	N/A/410†	N/A	Person and Caregiver-Centered Experience and Outcomes	Claims, Registry	Outcome	<p>Psoriasis: Clinical Response to Oral Systemic or Biologic Medications: Percentage of psoriasis patients receiving oral systemic or biologic therapy who meet minimal physician- or patient-reported disease activity levels. It is implied that establishment and maintenance of an established minimum level of disease control as measured by physician- and/or patient-reported outcomes will</p>	American Academy of Dermatology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>increase patient satisfaction with and adherence to treatment.</p> <p>Comment: CMS received a comment that requested CMS not include claims as a data submission method for this measure.</p> <p>Response: CMS believes that removing claims from this measure without first proposing this change, would not allow public stakeholders to address the impact of this change. Additionally, CMS has not researched the impact that this substantive change would have on affected MIPS eligible clinicians. CMS will review the impact of this comment and may propose the removal of claims in future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #410 for the 2017 Performance Period. This measure remains a measure that can be reported using the claims and registry submission mechanisms.</p>	
!	0711/411 ‡	N/A	Effective Clinical Care	Registry	Outcome	<p>Depression Remission at Six Months: Adult patients age 18 years and older with major depression or dysthymia and an initial PHQ-9 score > 9 who demonstrate remission at six months defined as a PHQ-9 score less than 5. This measure applies to both patients with newly diagnosed and existing depression whose current PHQ-9 score indicates a need for treatment. This measure additionally promotes ongoing contact between the patient and provider as patients who do not have a follow-up PHQ-9 score at six months (+/- 30 days) are also included in the denominator</p> <p>Comment: CMS received several comments on this measure. A commenter requested this measure be added to a specialty measure set. A commenter also asked that this measure be designated as Effective Clinical Care. Another commenter noted that this measure does not provide enough time to assess depression remission and noted there should be a more robust assessment of patients' depression. Yet another commenter supported the measure but thought the measure should be revised.</p> <p>Response: We will address all specialty set comments in Table E of the appendix. CMS has reviewed the measure and agrees with the commenter that this measure should be designated as "effective clinical care". Additionally, this measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the</p>	Minnesota Community Measurement

Indicator	NQF Quality #	OMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>recommended changes and may consider these changes for future rulemaking. Finally, CMS recognizes that there are multiple tools used to assess depression remission at various timeframes. However, CMS believes this measure appropriately addresses depression remission and that the timeframe of the assessment is appropriate according to the field.</p> <p>Final Decision: CMS is finalizing Q #411 for the 2017 Performance Period. The domain for this measure has changed to Effective Clinical Care.</p>	
	N/A/412†	N/A	Effective Clinical Care	Registry	Process	<p>Documentation of Signed Opioid Treatment Agreement: All patients 18 and older prescribed opiates for longer than six weeks duration who signed an opioid treatment agreement at least once during Opioid Therapy documented in the medical record.</p> <p>Comment: CMS received comments requesting this measure be revised to align with CDC recommendations.</p> <p>Response: This measure is not owned by CMS and, therefore, cannot be modified without coordinating with the measure owner. CMS will share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #412 for the 2017 Performance Period.</p>	American Academy of Neurology
1	N/A/413†	N/A	Effective Clinical Care	Registry	Intermediate Outcome	<p>Door to Puncture Time for Endovascular Stroke Treatment: Percentage of patients undergoing endovascular stroke treatment who have a door to puncture time of less than two hours.</p> <p>Comment: One commenter noted that the benchmark or target for this measure is unobtainable in one state or unreachable in a majority of the country.</p> <p>Response: CMS would note that eligible clinicians are able to choose the appropriate measures for their practice and clinical flow. If a MIPS eligible clinician does not find this measure to be attainable in their state or area of the country, the MIPS eligible clinician should choose a more appropriate measure to report.</p> <p>Final Decision: CMS would like to note that measures implemented in the program undergo a thorough review and testing for feasibility. Additionally, measure concepts are reviewed by</p>	Society of Interventional Radiology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						technical expert panels (TEP) that include stakeholders in the field. These subject matter experts review gap analyses and clinical performance gaps against the current clinical guidelines to ensure not only feasibility but current science. Based on the guidance from the TEP, CMS believes the targets set in the measure are attainable and based on current guidelines. CMS is finalizing Q #413 for the 2017 Performance Period.	
	N/A/414†	N/A	Effective Clinical Care	Registry	Process	<p>Evaluation or Interview for Risk of Opioid Misuse: All patients 18 and older prescribed opiates for longer than six weeks duration evaluated for risk of opioid misuse using a brief validated instrument (e.g. Opioid Risk Tool, SOAAP-R) or patient interview documented at least once during Opioid Therapy in the medical record</p> <p>Comments: One commenter supported CMS for including this measure for the 2017 performance period but requested that the measure be modified to include additional encounter codes and dosage clarification. CMS also received comments requesting that we remove this measure from the emergency medicine specialty measure set. The commenters noted that ED visit codes are not listed in the encounter CPT codes, so the measure would never be triggered during an ED visit. In addition, the commenters noted that the measure refers to "prescribed opiates for longer than six weeks' duration", which is an extremely rare occurrence for an emergency physician.</p> <p>Response: Regarding the inclusion of the measure for the 2017 performance period, CMS will finalize the measure for the 2017 performance period. However, we will work with the measure owner on the appropriateness of the recommended substantive changes to the measure. CMS may consider these modifications in future rulemaking. Regarding the inclusion of this measure in the emergency medicine set, CMS reviewed the measure specifications of this measure and agrees with the commenters that this measure is not appropriate for ED use as it does not include ED codes. CMS is removing this measure from the emergency medicine specialty measure set.</p> <p>Final Decision: CMS is finalizing Q #414 for the 2017 Performance Period. CMS is removing this measure from the emergency medicine specialty measure set.</p>	American Academy of Neurology
!	N/A/415‡	N/A	Efficiency and Cost Reduction	Claims, Registry	Efficiency	Emergency Medicine: Emergency Department Utilization of CT for Minor Blunt Head Trauma for Patients Aged 18 Years and Older: Percentage of emergency department visits for patients aged 18	American College of Emergency Physicians

Indicator	NQF Quality #	OMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>years and older who presented within 24 hours of a minor blunt head trauma with a Glasgow Coma Scale (GCS) score of 15 and who had a head CT for trauma ordered by an emergency care provider who have an indication for a head CT.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #415 for the 2017 Performance Period.</p>	
!!	N/A/416‡	N/A	Efficiency and Cost Reduction	Claims, Registry	Efficiency	<p>Emergency Medicine: Emergency Department Utilization of CT for Minor Blunt Head Trauma for Patients Aged 2 through 17 Years: Percentage of emergency department visits for patients aged 2 through 17 years who presented within 24 hours of a minor blunt head trauma with a Glasgow Coma Scale (GCS) score of 15 and who had a head CT for trauma ordered by an emergency care provider who are classified as low risk according to the Pediatric Emergency Care Applied Research Network (PECARN) prediction rules for traumatic brain injury.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #416 for the 2017 Performance Period.</p>	American College of Emergency Physicians
!	1523/417 ‡	N/A	Patient Safety	Registry	Outcome	<p>Rate of Open Repair of Small or Moderate Abdominal Aortic Aneurysms (AAA) Where Patients Are Discharged Alive: Percentage of patients undergoing open repair of small or moderate abdominal aortic aneurysms (AAA) who are discharged alive.</p> <p>OMSDid not receive specific comments regarding this measure.</p> <p>Final Decision: OMSis finalizing Q #417 for the 2017 Performance Period.</p>	Society for Vascular Surgeons
	0053/418 ‡	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Osteoporosis Management in Women Who Had a Fracture: The percentage of women age 50-85 who suffered a fracture and who either had a bone mineral density test or received a prescription for a drug to treat osteoporosis in the six months after the fracture</p> <p>Comment: OMSreceived a comment supporting our decision to include this measure in the MIPS quality measure set but the commenter requested that OMSrevise the measure.</p> <p>Response: This measure is not owned by OMS and, therefore, cannot be modified without coordinating with the measure owner. OMSwill</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	QMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>share measure modification requests with the measure owner prior to any modifications being made and, as necessary, propose in future rulemaking. CMS will finalize the measure for the 2017 performance period without the recommended changes and may consider these changes for future rulemaking.</p> <p>Final Decision: CMS is finalizing Q #418 for the 2017 Performance Period.</p>	
!!	N/A/419†	N/A	Efficiency and Cost Reduction	Claims, Registry	Efficiency	<p>Overuse Of Neuroimaging For Patients With Primary Headache And A Normal Neurological Examination: Percentage of patients with a diagnosis of primary headache disorder whom advanced brain imaging was not ordered.</p> <p>Comment: CMS received a comment supporting our decision to include this measure in the MIPS quality measure set but the commenter requested that CMS revise the measure. The commenter believes that this measure will prevent overuse of neuroimaging.</p> <p>Response: CMS thanks the comments for their support and agrees the measure will discourage overuse of neuroimaging.</p> <p>Final Decision: CMS is finalizing Q #419 for the 2017 Performance Period.</p>	American Academy of Neurology
*	N/A/420†	N/A	Effective Clinical Care	Registry	Outcome	<p>Varicose Vein Treatment with Saphenous Ablation: Outcome Survey: Percentage of patients treated for varicose veins (CEAP C2-S) who are treated with saphenous ablation (with or without adjunctive tributary treatment) that report an improvement on a disease specific patient reported outcome survey instrument after treatment.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #420 for the 2017 Performance Period. CMS is finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28568) to change this measure type designation from process measure to outcome measure. This measure was previously finalized in PQFS as a process measure. However, upon further review and analysis of the measure specification, CMS is finalizing its proposal to revise the classification of this measure to outcome measure because it assesses improvement on a patient reported outcome survey instrument.</p>	Society of Interventional Radiology

Indicator	NQF Quality #	OMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
*	N/A/421‡	N/A	Effective Clinical Care	Registry	Process	<p>Appropriate Assessment of Retrievable Inferior Vena Cava (IVC) Filters for Removal: Percentage of patients in whom a retrievable IVC filter is placed who, within 3 months post-placement, have a documented assessment for the appropriateness of continued filtration, device removal or the inability to contact the patient with at least two attempts.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #421 for the 2017 Performance Period. CMS is also finalizing its proposal in Table G of the Appendix of the proposed rule (81 FR 28568) to change this measure type designation from outcome measure to process measure. This measure was previously finalized in PQRS as an outcome measure. However, upon further review and analysis of the measure specification, CMS is finalizing its proposal to revise the classification of this measure to process measure in order to match the clinical action of appropriate care assessment.</p>	Society of Interventional Radiology
!	2063/422 ‡	N/A	Patient Safety	Claims, Registry	Process	<p>Performing Cystoscopy at the Time of Hysterectomy for Pelvic Organ Prolapse to Detect Lower Urinary Tract Injury: Percentage of patients who undergo cystoscopy to evaluate for lower urinary tract injury at the time of hysterectomy for pelvic organ prolapse.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #422 for the 2017 Performance Period. This measure remains a process measure.</p>	American Urogynecologic Society
	0465/423 ‡	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Perioperative Anti-platelet Therapy for Patients Undergoing Carotid Endarterectomy: Percentage of patients undergoing carotid endarterectomy (CEA) who are taking an anti-platelet agent within 48 hours prior to surgery and are prescribed this medication at hospital discharge following surgery.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #423 for 2017 Performance Period. This measure remains a process measure.</p>	Society for Vascular Surgeons
!	2681/424 ‡	N/A	Patient Safety	Registry	Outcome	<p>Perioperative Temperature Management: Percentage of patients, regardless of age, who undergo surgical or therapeutic procedures under general or neuraxial anesthesia of 60 minutes duration or longer for whom at least one body temperature greater than or equal to 35.5</p>	American Society of Anesthesiologists

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^y	Primary Measure Seward
						<p>degrees Celsius (or 95.9 degrees Fahrenheit) was recorded within the 30 minutes immediately before or the 15 minutes immediately after anesthesia end time.</p> <p>Comment: CMS received a comment requesting that the measure type for this measure be changed from process to outcome. After reviewing the measure more closely, CMS consulted NQF and the measure owner to determine the appropriate designation.</p> <p>Response: After reviewing the measure more closely, CMS consulted NQF and the measure owner to determine the appropriate designation for the measure type. CMS will change the measure type from process to outcome which is consistent with the measure specifications.</p> <p>Final Decision: CMS is finalizing Q #424 for 2017 Performance Period. This measure is finalized as an outcome measure.</p>	
	N/A/425	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Photodocumentation of Cecal Intubation: The rate of screening and surveillance colonoscopies for which photodocumentation of landmarks of cecal intubation is performed to establish a complete examination</p> <p>CMS proposed this measure for removal in Table H of the Appendix of the proposed rule (81 FR 28531) because CMS believed this measure is related to one of the conditions covered under the Core Quality Measure Collaborative but is not included in the core measure set.</p> <p>Comments: CMS received several comments requesting that CMS not remove this measure from the program until performance data can be collected.</p> <p>Response: CMS agrees that it would be premature to remove the measure from the program without adequate data to justify removal based on performance. Therefore, CMS will not finalize this measure for removal.</p> <p>Final Decision: We are not finalizing our proposal to remove Q #425 for the 2017 Performance Period. Under section 1848(q)(2)(D)(vii) of the Act, existing quality measures shall be included in the final list of quality measures unless removed. Accordingly, CMS is finalizing Q #425 for the 2017 Performance Period.</p>	American Society for Gastrointestinal Endoscopy/ American Gastroenterological Association/ American College of Gastroenterology
1	N/A/426†	N/A	Communication and Care Coordination	Registry	Process	<p>Post-Anesthetic Transfer of Care Measure: Procedure Room to a Post Anesthesia Care Unit (PACU): Percentage of patients, regardless of age, who are under the care of an anesthesia</p>	American Society of Anesthesiologists

Indicator	NQF Quality #	OMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
			on			<p>practitioner and are admitted to a PACU in which a post-anesthetic formal transfer of care protocol or checklist which includes the key transfer of care elements is utilized.</p> <p>Comments: CMS received a comment that supported the inclusion of this measure in MIPS with substantive changes.</p> <p>Response: While CMS appreciates the commenter's support for inclusion, CMS would like to clarify that the measure has not been tested with these significant modifications included. CMS can consider these modifications in future rulemaking. CMS is finalizing the measure for inclusion in MIPS for the 2017 Performance Period without substantive changes.</p> <p>Final Decision: CMS is finalizing Q #426 for 2017 Performance Period.</p>	
!	N/A/427†	N/A	Communication and Care Coordination	Registry	Process	<p>Post-Anesthetic Transfer of Care: Use of Checklist or Protocol for Direct Transfer of Care from Procedure Room to Intensive Care Unit (ICU): Percentage of patients, regardless of age, who undergo a procedure under anesthesia and are admitted to an Intensive Care Unit (ICU) directly from the anesthetizing location, who have a documented use of a checklist or protocol for the transfer of care from the responsible anesthesia practitioner to the responsible ICU team or team member.</p> <p>Comments: CMS received a comment that supported the inclusion of this measure in MIPS with substantive changes, including requesting that the measure contain a performance exclusion code with documentation for why performance was not met.</p> <p>Response: While CMS appreciates the commenter's support for inclusion, CMS would like to clarify that the measure has not been tested with these significant modifications included. CMS can consider these modifications in future rulemaking. CMS is finalizing the measure for inclusion in MIPS for the 2017 Performance Period without substantive changes.</p> <p>Final Decision: CMS is finalizing Q #427 for 2017 Performance Period.</p>	American Society of Anesthesiologists
	N/A/428†	N/A	Effective Clinical Care	Registry	Process	<p>Pelvic Organ Prolapse: Preoperative Assessment of Occult Stress Urinary Incontinence: Percentage of patients undergoing appropriate preoperative evaluation for the indication of stress urinary incontinence per ACOG/ AUGS/ AUA guidelines.</p> <p>CMS did not receive specific comments regarding this measure.</p>	American Urogynecologic Society

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						Final Decision: OMS is finalizing Q #428 for 2017 Performance Period. OMS continues to believe this measure is appropriate for the measures set and is finalizing the measure for inclusion in MIPS for the 2017 Performance Period.	
!	N/A/429†	N/A	Patient Safety	Claims, Registry	Process	<p>Pelvic Organ Prolapse: Preoperative Screening for Uterine Malignancy: Percentage of patients who are screened for uterine malignancy prior to vaginal closure or obliterative surgery for pelvic organ prolapse.</p> <p>OMS did not receive specific comments regarding this measure.</p> <p>Final Decision: OMS is finalizing Q #429 for the 2017 Performance Period. OMS continues to believe this measure is appropriate for the measures set.</p>	American Urogynecologic Society
!	N/A/430†	N/A	Patient Safety	Registry	Process	<p>Prevention of Post-Operative Nausea and Vomiting (PONV) – Combination Therapy: Percentage of patients, aged 18 years and older, who undergo a procedure under an inhalational general anesthetic, AND who have three or more risk factors for post-operative nausea and vomiting (PONV), who receive combination therapy consisting of at least two prophylactic pharmacologic antiemetic agents of different classes preoperatively or intraoperatively.</p> <p>Comments: OMS received a comment that supported the inclusion of this measure in MIPS with substantive changes. Specifically, the commenter believed that this measure was too limited in its scope, because it would prevent CRNAs who performed procedures that did not use an inhalation general anesthetic from reporting the measure. Commenter noted that the top 3 most common procedures fell into this category. Secondly, commenter stated that the following wording in the numerator needed to change in order to avoid medical errors that could put patients at risk: "...agents of different classes preoperatively AND intraoperatively" needs to be changed to "...agents of different classes preoperatively OR intraoperatively."</p> <p>Response: While OMS appreciates the commenter's support for inclusion, OMS would like to clarify that the measure has not been tested with these significant modifications included. OMS can consider these modifications in future rulemaking. OMS is finalizing the measure for inclusion in MIPS for the 2017 Performance Period without substantive changes.</p> <p>Final Decision: OMS is finalizing Q #430 for the 2017 Performance Period.</p>	American Society of Anesthesiologists

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
	2152/431†	N/A	Community/Population Health	Registry	Process	<p>Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling: Percentage of patients aged 18 years and older who were screened for unhealthy alcohol use using a systematic screening method at least once within the last 24 months AND who received brief counseling if identified as an unhealthy alcohol user.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #431 for 2017 Performance Period. CMS continues to believe this measure is appropriate for the measures set.</p>	Physician Consortium for Performance Improvement Foundation (PCPIF)
!	N/A/432†	N/A	Patient Safety	Registry	Outcome	<p>Proportion of Patients Sustaining a Bladder Injury at the Time of any Pelvic Organ Prolapse Repair: Percentage of patients undergoing any surgery to repair pelvic organ prolapse who sustains an injury to the bladder recognized either during or within 1 month after surgery.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #432 for the 2017 Performance Period. CMS continues to believe this measure is appropriate for the measures set.</p>	American Urogynecologic Society
!	N/A/433†	N/A	Patient Safety	Registry	Outcome	<p>Proportion of Patients Sustaining a Bowel Injury at the Time of any Pelvic Organ Prolapse Repair: Percentage of patients undergoing surgical repair of pelvic organ prolapse that is complicated by a bowel injury at the time of index surgery that is recognized intraoperatively or within 1 month after surgery</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #433 for 2017 Performance Period. CMS continues to believe this measure is appropriate for the measures set.</p>	American Urogynecologic Society
!	N/A/434†	N/A	Patient Safety	Registry	Outcome	<p>Proportion of Patients Sustaining A Ureter Injury at the Time of any Pelvic Organ Prolapse Repair: Percentage of patients undergoing pelvic organ prolapse repairs who sustain an injury to the ureter recognized either during or within 1 month after surgery.</p> <p>CMS did not receive specific comments regarding this measure.</p>	American Urogynecologic Society

Indicator	NQF Quality #	OMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						Final Decision: CMS is finalizing Q #434 for 2017 Performance Period. CMS continues to believe this measure is appropriate for the measures set.	
1	N/A/435†	N/A	Effective Clinical Care	Claims, Registry	Outcome	<p>Quality Of Life Assessment For Patients With Primary Headache Disorders: Percentage of patients with a diagnosis of primary headache disorder whose health related quality of life (HRQoL) was assessed with a tool(s) during at least two visits during the 12 month measurement period AND whose health related quality of life score stayed the same or improved.</p> <p>Comments: CMS received a comment that did not support the inclusion of this measure in MIPS because the commenter did not believe the assessment tool is appropriate.</p> <p>Response: While CMS appreciates the commenter's recommendation, the substantive change to this measure should be proposed through rulemaking. CMS would like to clarify that the measure has not been tested with these significant modifications included. CMS can consider these modifications in future rulemaking. CMS is finalizing the measure for inclusion in MIPS for the 2017 Performance Period without substantive changes.</p> <p>Final Decision: CMS is finalizing Q #435 for 2017 Performance Period.</p>	American Academy of Neurology
	N/A/436†	N/A	Effective Clinical Care	Claims, Registry	Process	<p>Radiation Consideration for Adult CT: Utilization of Dose Lowering Techniques: Percentage of final reports for patients aged 18 years and older undergoing CT with documentation that one or more of the following dose reduction techniques were used:</p> <ul style="list-style-type: none"> • Automated exposure control • Adjustment of the mA and/or kV according to patient size • Use of iterative reconstruction technique <p>Comments: CMS received a comment supporting the inclusion of this measure but requested that CMS substantively modify the measure to clarify that either specifying the dose lowering technique utilized or inputting a general statement in the radiation report fulfills the requirements of this measure</p> <p>Response: While CMS appreciates the commenter's support for inclusion of the measure, CMS would like to clarify that the measure has not been tested with these significant modifications included. CMS can consider these modifications in future rulemaking.</p>	American College of Radiology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						<p>CMS is finalizing the measure for inclusion in MIPS for the 2017 Performance Period without substantive changes.</p> <p>Final Decision: CMS is finalizing Q #436 for 2017 Performance Period.</p>	
!	N/A/437†	N/A	Patient Safety	Claims, Registry	Outcome	<p>Rate of Surgical Conversion from Lower Extremity Endovascular Revascularization Procedure: Inpatients assigned to endovascular treatment for obstructive arterial disease, the percent of patients who undergo unplanned major amputation or surgical bypass within 48 hours of the index procedure.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #437 for 2017 Performance Period.</p>	Society of Interventional Radiology
	N/A/438†	N/A	Effective Clinical Care	Web Interface, Registry	Process	<p>Statin Therapy for the Prevention and Treatment of Cardiovascular Disease: Percentage of the following patients—all considered at high risk of cardiovascular events—who were prescribed or were on statin therapy during the measurement period:</p> <ul style="list-style-type: none"> Adults aged ≥ 21 years who were previously diagnosed with or currently have an active diagnosis of clinical atherosclerotic cardiovascular disease (ASCVD); OR Adults aged ≥ 21 years with a fasting or direct low-density lipoprotein cholesterol (LDL-C) level ≥ 190 mg/dL; OR Adults aged 40-75 years with a diagnosis of diabetes with a fasting or direct LDL-C level of 70-189 mg/dL <p>Comments: CMS received a comment supporting the inclusion of this measure but requested that CMS significantly modify the measure to include high to moderate intensity based on risk.</p> <p>Response: While CMS appreciates the commenter's support for inclusion of the measure, CMS would like to clarify that the measure has not been tested with these significant modifications included. CMS can consider these modifications in future rulemaking. CMS is finalizing the measure for inclusion in MIPS for the 2017 Performance Period without substantive changes.</p> <p>Final Decision: CMS is finalizing Q #438 for 2017 Performance Period.</p>	Centers for Medicare & Medicaid Services
§ !!	N/A/439†	N/A	Efficiency and Cost Reduction	Registry	Efficiency	<p>Age Appropriate Screening Colonoscopy: The percentage of patients greater than 85 years of age who received a screening colonoscopy from January 1 to December 31.</p>	American Gastroenterological Association/

Indicator	NQF Quality #	QMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						<p>Comments: CMS received a comment supporting the inclusion of this measure.</p> <p>Response: CMS appreciates the commenter's support and will finalize the measure for the inclusion in MIPS for the 2017 Performance Period.</p> <p>Final Decision: CMS is finalizing Q #439 for 2017 Performance Period.</p>	American Society for Gastrointestinal Endoscopy/ American College of Gastroenterology
+ !	N/A/440		Communication and Care Coordination	Registry	Process	<p>Basal Cell Carcinoma (BCC)/ Squamous Cell Carcinoma: Biopsy Reporting Time – Pathologist to Clinician: Percentage of biopsies with a diagnosis of cutaneous Basal Cell Carcinoma (BCC) and Squamous Cell Carcinoma (SCC) (including in situ disease) in which the pathologist communicates results to the clinician within 7 days of biopsy date</p> <p>Comments: CMS received a comment supporting the inclusion of this measure.</p> <p>Response: CMS appreciates the commenter's support and will finalize the measure for the inclusion in MIPS for the 2017 Performance Period.</p> <p>Final Decision: CMS is finalizing Q #440 for 2017 performance period. Specifically, CMS is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28450) to implement the NMSC measure to address a clinical performance gap of communication between pathologists and clinicians regarding final biopsy reports. CMS believes this measure is relevant for pathologists which is a specialty that does not have many relevant measures they can report. During the Measures Application Partnership (MAP) review, the MAP supported this measure and encourages further development. Please note that the measure title and description have changed from what was proposed. Proposed Title: Non-melanoma Skin Cancer (NMSC): Biopsy Reporting Time – Pathologist: Proposed Description: Length of time taken from when the pathologist completes the final biopsy report to when s/he sends the final report to the biopsying physician. This measure evaluates the reporting time between pathologist and biopsying clinician.</p>	American Academy of Dermatology

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
+ !	N/A/441		Effective Clinical Care	Registry	Intermediate Outcome	<p>Ischemic Vascular Disease All or None Outcome Measure (Optimal Control): The IVD All-or-None Measure is one outcome measure (optimal control). The measure contains four goals. All four goals within a measure must be reached in order to meet that measure. The numerator for the all-or-none measure should be collected from the organization's total IVD denominator. All-or-None Outcome Measure (Optimal Control) - Using the IVD denominator optimal results include: Most recent blood pressure (BP) measurement is less than 140/90 mm Hg -- And Most recent tobacco status is Tobacco Free -- And Daily Aspirin or Other Antiplatelet Unless Contraindicated -- And Statin Use.</p> <p>Comments: CMS received comments opposing the inclusion of this measure, specifically due to the measure not being aligned with clinical guidelines.</p> <p>Response: This measure has been updated to align with JNC-8 recommendations as practicable. While CMS agrees that the measure does not address all aspects of the new recommendations, we believe the portions of the recommendation addressed are significant in improving healthcare quality. Additionally, the field does not fully agree on how patient preference and risk can be accurately identified and measured. Until then, CMS will implement sections of the recommendation that are feasible.</p> <p>Final Decision: CMS is finalizing Q #441 for 2017 performance period. Specifically, CMS is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28450) to implement the All or None (Composite) measure because it provides benefits to both the patient and the practitioner. CMS believes this measure closely reflects the interests and likely desires of the patient which is a high priority of CMS. Secondly, this measure is an outcome measure that represents a systems perspective emphasizing the importance of optimal care through a patient's entire healthcare experience. During the Measures Application Partnership (MAP) review, the MAP conditionally supported this measure for implementation in 2017. However, the MAP would like to see a future measure that includes patient compliance as part of the composite.</p>	Wisconsin Collaborative for Healthcare Quality (WCHQ)
+ \$	0071/442		Effective Clinical Care	Registry	Process	<p>Persistent Beta Blocker Treatment After a Heart Attack: The percentage of patients 18 years of age and older during the measurement year who were hospitalized and discharged from July 1 of the year prior to the measurement year to June 30 of the measurement year with a diagnosis of acute myocardial infarction (AMI) and who received were prescribed persistent beta-blocker</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						<p>treatment for six months after discharge.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #442 for 2017 performance period. CMS will continue to finalize the measure because it aligns with the CQMC measures. Specifically, CMS as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28451) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address cardiovascular care. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	
+ \$!!	N/A/443		Patient Safety	Registry	Process	<p>Non-Recommended Cervical Cancer Screening in Adolescent Females: The percentage of adolescent females 16–20 years of age screened unnecessarily for cervical cancer.</p> <p>Comments: CMS received a comment supporting the inclusion of this measure.</p> <p>Response: CMS appreciates the commenter's support and will finalize the measure because it aligns with the CQMC measures.</p> <p>Final Decision: CMS is finalizing Q #443 for the 2017 performance period. Specifically, CMS as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28452) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address care coordination and patient safety within primary care. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	National Committee for Quality Assurance

Indicator	NQF Quality #	CMS EMeasure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
+ \$!	1799/444		Efficiency and Cost Reduction	Registry	Process	<p>Medication Management for People with Asthma (MMA): The percentage of patients 5-64 years of age during the measurement year who were identified as having persistent asthma and were dispensed appropriate medications that they remained on for at least 75% of their treatment period.</p> <p>Comments: CMS received several comments to not include this measure but continue to include PQRS measure #311 instead.</p> <p>Response: CMS will continue to finalize this measure because it aligns with the CQMC. PQRS measure #311 is closely related to the NQF #1799 but is not a measure within the CQMC and is being finalized for removal.</p> <p>Final Decision: CMS is finalizing Q #444 for the 2017 performance period. Specifically, CMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28452) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address pulmonary care within primary care. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	National Committee for Quality Assurance
+ \$!	0119/445		Effective Clinical Care	Registry	Outcome	<p>Risk-Adjusted Operative Mortality for Coronary Artery Bypass Graft (CABG): Percent of patients aged 18 years and older undergoing isolated CABG who die, including both 1) all deaths occurring during the hospitalization in which the CABG was performed, even if after 30 days, and 2) those deaths occurring after discharge from the hospital, but within 30 days of the procedure.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #445 for 2017 performance period. CMS will continue to finalize the measure because it aligns with the CQMC measures. Specifically, CMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28453) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address chronic cardiovascular condition. Furthermore, CMS is utilizing its authority to finalize propose measures that were</p>	The Society of Thoracic Surgeons

Indicator	NQF Quality #	QMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						not reviewed by the MAP.	
+ § !	0733/446		Patient Safety	Registry	Outcome	<p>Operative Mortality Stratified by the Five STS-EACTS Mortality Categories: Percent of patients undergoing index pediatric and/or congenital heart surgery who die, including both 1) all deaths occurring during the hospitalization in which the procedure was performed, even if after 30 days (including patients transferred to other acute care facilities), and 2) those deaths occurring after discharge from the hospital, but within 30 days of the procedure, stratified by the five STAT Mortality Levels, a multi-institutional validated complexity stratification tool</p> <p>QMS did not receive specific comments regarding this measure.</p> <p>Final Decision: QMS is finalizing Q # 446 for the 2017 performance period. QMS will finalize the measure because it aligns with CQMC measures. Specifically, QMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28454) to implement this measure to fulfill a set of condition-specific core measures. QMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between QMS and private health insurers. This measure is finalized as a core measure to specifically address pediatric heart surgery. Furthermore, QMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	The Society of Thoracic Surgeons
+ §	1395/447		Community/Population Health	Registry	Process	<p>Chlamydia Screening and Follow-up: The percentage of female adolescents 16 years of age who had a chlamydia screening test with proper follow-up during the measurement period</p> <p>QMS did not receive specific comments regarding this measure.</p> <p>Final Decision: QMS is finalizing Q #447 for 2017 performance period. QMS will finalize the measure because it aligns with the CQMC measures. Specifically, QMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28454) to implement this measure to fulfill a set of condition-specific core measures. QMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between QMS and private health insurers. This measure is</p>	National Committee for Quality Assurance

Indicator	NOF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Steward
						finalized as a core measure to specifically address obstetrics and gynecology conditions. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.	
+ \$!	0567/448		Patient Safety	Registry	Process	<p>Appropriate Work Up Prior to Endometrial Ablation: Percentage of women, aged 18 years and older, who undergo endometrial sampling or hysteroscopy with biopsy and results documented before undergoing an endometrial ablation</p> <p>Comments: CMS received a comment asking that CMS not include this measure because the measure is not tested at the clinician level.</p> <p>Response: CMS has verified with the measure owner this measure includes testing at the clinician and group practice level. CMS will continue to finalize the measure because it aligns with the CQMC measures.</p> <p>Final Decision: CMS is finalizing Q #448 for the 2017 performance period. Specifically, CMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28455) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address obstetrics and gynecology conditions. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	Centers for Medicare & Medicaid Services
+ \$!!	1857/449		Efficiency and Cost Reduction	Registry	Process	<p>HER2 Negative or Undocumented Breast Cancer Patients Spared Treatment with HER2-Targeted Therapies: Proportion of female patients (aged 18 years and older) with breast cancer who are human epidermal growth factor receptor 2 (HER2)/neu negative who are not administered HER2-targeted therapies</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #449 for the 2017 performance period. CMS will finalize the measure because it aligns with the CQMC measures. Specifically, CMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28455) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to</p>	American Society of Clinical Oncology

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Seward
						specifically address medical oncology and breast cancer. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.	
+ \$!!	1858/450	NA	Efficiency and Cost Reduction	Registry	Process	<p>Trastuzumab Received By Patients With AJCC Stage I (T1c) – III And HER2 Positive Breast Cancer Receiving Adjuvant Chemotherapy: Proportion of female patients (aged 18 years and older) with AJCC stage I (T1c) – III, human epidermal growth factor receptor 2 (HER2) positive breast cancer receiving adjuvant chemotherapy who are also receiving trastuzumab</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q # 450 for the 2017 performance period. CMS will finalize the measure because it aligns with the CQMC measures. Specifically, CMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix (81 FR 28456) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address medical oncology and breast cancer. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	American Society of Clinical Oncology
+ \$	1859/451		Effective Clinical Care	Registry	Process	<p>KRAS Gene Mutation Testing Performed for Patients with Metastatic Colorectal Cancer who receive Anti-epidermal Growth Factor Receptor (EGFR) Monoclonal Antibody Therapy: Percentage of adult patients (aged 18 or over) with metastatic colorectal cancer who receive anti-epidermal growth factor receptor monoclonal antibody therapy for whom KRAS gene mutation testing was performed</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #451 for the 2017 performance period. CMS will finalize the measure because it aligns with the CQMC measures. Specifically, CMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28456) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement</p>	American Society of Clinical Oncology

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						between CMS and private health insurers. This measure is finalized as a core measure to specifically address medical oncology and breast cancer. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.	
+ \$!!	1860/452		Patient Safety	Registry	Process	<p>Patients with Metastatic Colorectal Cancer and KRAS Gene Mutation Spared Treatment with Anti-epidermal Growth Factor Receptor (EGFR) Monoclonal Antibodies: Percentage of adult patients (aged 18 or over) with metastatic colorectal cancer and KRAS gene mutation spared treatment with anti-EGFR monoclonal antibodies.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #452 for the 2017 performance period. CMS will finalize the measure because it aligns with the CQMC measures. Specifically, CMS as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28457) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address medical oncology and breast cancer. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	American Society of Clinical Oncology
+ \$!!	0210/453		Effective Clinical Care	Registry	Process	<p>Proportion Receiving Chemotherapy in the Last 14 Days of life: Proportion of patients who died from cancer receiving chemotherapy in the last 14 days of life</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #453 for the 2017 performance period. CMS will finalize the measure because it aligns with the CQMC measures. Specifically, CMS as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28457) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address hospice and end of life metrics for medical oncology. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	American Society of Clinical Oncology

Indicator	NQF Quality #	CMS Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
+ \$!!	0211/454		Effective Clinical Care	Registry	Outcome	<p>Proportion of Patients who Died from Cancer with more than One Emergency Department Visit in the Last 30 Days of Life: Proportion of patients who died from cancer with more than one emergency room visit in the last 30 days of life</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #454 for the 2017 performance period. CMS will finalize the measure because it aligns with the CQMC measures. Specifically, CMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28458) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address hospice and end of life metrics for medical oncology. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	American Society of Clinical Oncology
+ \$!!	0213/455		Effective Clinical Care	Registry	Outcome	<p>Proportion Admitted to the Intensive Care Unit (ICU) in the Last 30 Days of Life: Proportion of patients who died from cancer admitted to the ICU in the last 30 days of life.</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #455 for the 2017 performance period. CMS will finalize the measure because it aligns with the CQMC measures. Specifically, CMS, as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28458) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address hospice and end of life metrics for medical oncology. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	American Society of Clinical Oncology
+ \$!!	0215/456		Effective Clinical Care	Registry	Process	<p>Proportion Not Admitted To Hospice: Proportion of patients who died from cancer not admitted to hospice</p> <p>CMS did not receive specific comments regarding this measure.</p> <p>Final Decision: CMS is finalizing Q #456 for the 2017 performance period. CMS will finalize the</p>	American Society of Clinical Oncology

Indicator	NOF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description ^v	Primary Measure Steward
						measure because it aligns with the CQMC measures. Specifically, CMS as part of the CQMC, is finalizing its proposal in Table D of the Appendix (81 FR 28459) to implement proposes this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address hospice and end of life metrics for medical oncology. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.	
+ \$!!	0216/457		Effective Clinical Care	Registry	Outcome	<p>Proportion Admitted to Hospice for less than 3 days: Proportion of patients who died from cancer, and admitted to hospice and spent less than 3 days there.</p> <p>Comments: CMS received comments that did not support inclusion, stating that the measure de-incentivizes admitting patients appropriately to hospice even if they are in their last few days of life.</p> <p>Response: CMS will continue to finalize the measure because it aligns with the CQMC measures. The intent of this measure is to ensure timely referral to hospice care. It is not intended to de-incentivize admittance into hospice. Our hope is that Q#0216 and Q#0215 would be analyzed in somewhat of a composite manner in order to verify this negative impact does not occur.</p> <p>Final Decision: CMS is finalizing Q #457 for the 2017 performance period. Specifically, CMS as part of the CQMC, is finalizing its proposal in Table D of the Appendix of the proposed rule (81 FR 28459) to implement this measure to fulfill a set of condition-specific core measures. CMS believes the CQMC fills measure gaps, condition-specific performance gaps and ensures the collaborative agreement between CMS and private health insurers. This measure is finalized as a core measure to specifically address hospice and end of life metrics for medical oncology. Furthermore, CMS is utilizing its authority to finalize measures that were not reviewed by the MAP.</p>	American Society of Clinical Oncology
	1789/458		Communication and Care Coordination	N/A (Administrative Claims)	Outcome	All-Cause Hospital Readmission Measure: The 30-day All-Cause Hospital Readmission measure is a risk-standardized readmission rate for beneficiaries age 65 or older who were hospitalized at a short-stay acute care hospital and experienced an unplanned readmission for any cause to an acute care hospital within 30 days of discharge.	Yale University

Indicator	NQF Quality #	CMS E-Measure ID	National Quality Strategy Domain	Data submission Method	Measure Type	Measure Title and Description*	Primary Measure Seward
						<p>Comments: CMS received comments that supported the inclusion of this measure in 2017 measure set. CMS also received comments stating that the measure is only applicable to primary care clinicians.</p> <p>Response: CMS recognizes that this measure may be more relevant to some MIPS eligible clinicians than others. This measure will only be scored for MIPS eligible clinicians and groups who have beneficiaries attributed to them and that meet the minimum case size requirements. In addition, while we had proposed to adopt this measure only for groups of 10 or more eligible clinicians, as discussed in section II.E.5.b of this final rule with comment period, we are finalizing this measure only for groups of 15 or more eligible clinicians to ensure a uniform definition of a "small practice" across the Quality Payment Program.</p> <p>Final Decision: CMS is finalizing Q # 458 for the 2017 performance period.</p>	

‡ This measure was new to the Physician Quality Reporting System and was adopted for reporting beginning in CY 2016.

¥ Measure details including titles, descriptions and measure owner information may vary during a particular program year. This is due to the timing of measure specification preparation and the measure versions used by the various reporting options/methods. Please refer to the measure specifications that apply for each of the reporting options/methods for specific measure details.